



McCLYMONT & RAK
ENGINEERS, INC.
GEO-ENVIRONMENTAL CONSULTANTS

WWW.MCCRAK.COM

111 ZENWAY BLVD., UNIT 4, VAUGHAN, ONTARIO, L4H 3H9
TEL: 416.675.0160 FAX: 905.851.1722
office@mccrak.com

1271 DENISON ST., UNIT 45, MARKHAM, ONTARIO, L3R 4B5
TEL: 905.470.0160 FAX: 905.475.6371
denison@mccrak.com

McMASTER INNOVATION PARK - COLABORATORY No. 110A
175 LONGWOOD RD. S., HAMILTON, ONTARIO, L8P 0A1
office@mccrak.com



ME5276

FEBRUARY 2018

**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
175 WYNFORD DRIVE
TORONTO, ONTARIO**

DISTRIBUTION:

1 COPY (electronic)	ALLIED HOTEL PROPERTIES INC.
1 COPY	McCLYMONT & RAK ENGINEERS, INC.

PREPARED FOR:

ALLIED PROPERTIES INC.
515 WEST PENDER STREET, SUITE 300
VANCOUVER, BC
V6B 6H5

TABLE OF CONTENTS

Item	Page
1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	3
2.1 PHASE ONE PROPERTY INFORMATION	3
3.0 SCOPE OF INVESTIGATION	4
4.0 RECORDS REVIEW	4
4.1 GENERAL INFORMATION	4
4.1.1 PHASE ONE STUDY AREA	4
4.1.2 FIRST DEVELOPED USE	4
4.1.3 FIRE INSURANCE PLANS	4
4.1.4 CHAIN OF TITLE	5
4.1.5 CITY DIRECTORIES	5
4.1.6 ENVIRONMENTAL REPORTS	5
4.1.7 OTHER RECORDS	6
4.2 ENVIRONMENTAL SOURCE INFORMATION	6
4.2.1 MOECC NOTICES, INSTRUMENTS AND REPORTS	6
4.2.2 DATABASES	7
4.3 PHYSICAL SETTING	8
4.3.1 AERIAL PHOTOGRAPHS	8
4.3.2 TOPOGRAPHY	8
4.3.2.1 REGIONAL TOPOGRAPHY	8
4.3.2.2 LOCAL TOPOGRAPHY	8
4.3.3 GEOLOGY AND HYDROGEOLOGY	9
4.3.3.1 REGIONAL GEOLOGY AND HYDROGEOLOGY	9
4.3.3.2 LOCAL GEOLOGY AND HYDROGEOLOGY	9
4.3.4 FILL MATERIALS	9
4.3.5 WATER BODIES AND AREAS OF NATURAL SIGNIFICANCE	10
4.3.6 WELL RECORDS	10
4.4 SITE OPERATING RECORDS	10
5.0 INTERVIEWS	10
6.0 SITE RECONNAISSANCE	10
6.1 GENERAL INFORMATION	10
6.2 SPECIFIC OBSERVATIONS AT THE SITE	11
6.3 ENHANCED INVESTIGATION PROPERTY	11
6.4 WRITTEN DESCRIPTION OF INSPECTION	12
6.5 OBSERVATIONS OF ADJOINING PROPERTIES	12
7.0 REVIEW AND EVALUATION OF INFORMATION	12
7.1 CURRENT AND PAST USES	12
7.2 POTENTIALLY CONTAMINATING ACTIVITIES	12
7.3 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN	13
7.4 PHASE ONE CONCEPTUAL SITE MODEL	13
7.4.1 UNCERTAINTIES AFFECTING THE VALIDITY OF THE PHASE ONE ESA	13
8.0 CONCLUSIONS	14
8.1 FURTHER ENVIRONMENTAL INVESTIGATION	14

8.2	RECORD OF SITE CONDITION	14
9.0	SIGNATURES	14
	REFERENCES.....	16
	STATEMENT OF LIMITATIONS	

FIGURES

Figure 1	Area Map
Figure 2	Phase One Study Area
Figure 3	Site Plan
Figure 4	Phase One Conceptual Site Model

TABLES

Table 1	Table of Areas of Potential Environmental Concern for the Phase One Property
---------	--

APPENDICES

Appendix A	ERIS Ecolog Report
Appendix B	Site Photographs

ABBREVIATIONS

ABN	Acid/base/neutral Compounds
APEC	Area of Potential Environmental Concern
AST	Aboveground Storage Tank
BTEX	Benzene, Toluene, Ethylbenzene, Xylene
CALA	Canadian Association for Laboratory Accreditation
C of A	Certificate of Approval
COC	Contaminant of Concern
CSM	Conceptual Site Model
CP	Chlorophenols
EASR	Environmental Activity Site Registration

McCLYMONT&RAK ENGINEERS, INC.

EC	Electrical Conductivity
ECA	Environmental Compliance Approval
ESA	Environmental Site Assessment
mbgs	Meters Below Ground Surface
MCR	McClymont and Rak Engineers Inc.
MOECC	Ministry of Environment and Climate Change
OBM	Ontario Base Map
OCP	Organochlorine Pesticides
PAH	Polycyclic Aromatic Hydrocarbons
PCA	Potentially Contaminating Activities
PCB	Polychlorinated Biphenyls
PHC	Petroleum Hydrocarbons
PIN	Property Identification Number
QA/QC	Quality Assurance/Quality Control
RPI	Residential/Parkland/Institutional Property Use
RSC	Record of Site Condition
SAR	Sodium Adsorption Ratio
SCS	Site Condition Standards
UST	Underground Storage Tank
VOC	Volatile Organic Compound
VSA	Verification Sample

1.0 EXECUTIVE SUMMARY

Allied Hotel Properties Inc. (the Client) intends to redevelop the property located at the municipal address of 175 Wynford Drive, Toronto (hereafter referred to as 'the Site'). The Site is developed with a hotel. The Client retained McClymont & Rak Engineers, Inc. (MCR) to conduct a Phase One Environmental Site Assessment (ESA) for the Site. The Phase One ESA was prepared in general accordance with Ontario Regulation (O.Reg.) 153/04, as amended, and is intended to support the filing of a Record of Site Condition (RSC). The purpose of this assessment was to identify actual or potential sources of subsurface contamination.

Methodology for the Phase One ESA followed Table 1 - Mandatory Requirements for Phase One ESA Reports of the Environmental Protection Act. The assessment included a visual examination of the Site, interview, a review of land use history and a search of public records for the area to determine activities that may have been a source of contamination.

The Site is located on the northwest corner of Wynford Drive and Eglinton Avenue East, in the City of Toronto. The Phase One Study Area, delineated by a 250 m radius surrounding the Site, is part of a commercial and institutional development area. The following PCAs were identified for the Site and Phase One Study Area:

On-site:

- **PCA 1: Importation of Fill Material of Unknown Quality.** The Site may have been used during the development of the Don Valley Parkway for stockpiling or fill placement.
- **PCA 2: Use of Salt and De-icing Products.** De-icing products have been used on the parking lot on the eastern portion of the Site.
- **PCA 3: Gasoline and Associated Products Storage in Tanks.** An AST and associated piping is present in the southern boiler room.

These PCAs could lead to the following areas of potential environmental concern at the Site:

- **APEC 1: Western portion of Site.** The Site may have been used during the development of the Don Valley Parkway for stockpiling or fill placement.
- **APEC 2: Parking lot.** De-icing products have been used on the parking lot

on the eastern portion of the Site.

- **APEC 3: Southern portion of Site near boiler room.** An AST and associated piping is present in the southern boiler room.

Based on the findings of this Phase One ESA, further environmental investigation is required for the Site at this time in order to file for a Record of Site Condition (RSC).

2.0 INTRODUCTION

Allied Hotel Properties Inc. (the Client) intends to redevelop the property located at the municipal address of 175 Wynford Drive, Toronto (hereafter referred to as 'the Site'). The Site is developed with a hotel. The Client retained McClymont & Rak Engineers, Inc. (MCR) to conduct a Phase One Environmental Site Assessment (ESA) for the Site. The Phase One ESA was prepared in general accordance with Ontario Regulation (O.Reg.) 153/04, as amended, and is intended to support the filing of a Record of Site Condition (RSC). The purpose of this assessment was to identify actual or potential sources of subsurface contamination.

Methodology for the Phase One ESA followed Table 1 - Mandatory Requirements for Phase One ESA Reports of the Environmental Protection Act. The assessment included a visual examination of the Site, interview, a review of land use history and a search of public records for the area to determine activities that may have been a source of contamination.

2.1 Phase One Property Information

The Site is legally described as Part of Block B, Plan M-1158, City of Toronto. The municipal address for the Site is 175 Wynford Drive, Toronto, Ontario. The Site is located on the northwest corner of Wynford Drive and Eglinton Avenue East, in the City of Toronto (see Figure 1). The Site has an irregular shape with an area of approximately 2.14 hectares and is currently developed with a hotel and parking lot.

The Site is owned by the Client and Client representative contact information is provided below:

Mr Matt Gwilliam
Allied Hotels Properties Inc
515 West Pender Street, Suite 300
Vancouver, BC
V6B 6H5
Phone: (416) 452-3238
Email: matt@alliedhotels.com

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase One ESA included, but was not limited to, the following:

- Reviews of:
 - Fire Insurance Plans,
 - City directories,
 - A Title Search,
 - Previous environmental reports,
 - Aerial photographs,
 - Topographic, soil, geological and land use maps, and
 - Municipal, provincial and federal records;
- Interviews with relevant personnel involved with the Site;
- An inspection of the Site and surrounding area;
- Review and evaluation of the information gathered; and
- Preparation of this report containing relevant data, conclusions, and recommendations.

4.0 RECORDS REVIEW

4.1 General Information

4.1.1 Phase One Study Area

The Phase One Study Area was determined to include the Site and all properties within a 250 m radius of the Site (see Figure 2). From the records review, it was determined that there are no properties outside the required 250 m from the property boundary of the Site that need to be included in this Phase One ESA.

4.1.2 First Developed Use

The records review indicates the first developed use of the Site was for the current commercial use as a hotel in the 1960s.

4.1.3 Fire Insurance Plans

No Fire Insurance Plans were available for the Site or Phase One Study Area.

4.1.4 Chain of Title

A full title search was not completed as sufficient information for the property uses of the Site could be obtained from other records sources, indicating the Site has been commercial since first development.

4.1.5 City Directories

MCR contacted Environmental Risk Information Services Ltd. (Ecolog) to search city directories for the Phase One Study Area from the 1960s to 2000. Information for the years of 1960, 1965, 1971, 1978, 1985, 1990, 1995 and 1999 was provided by Ecolog for MCR's review. The Site was never listed. Other notable addresses within the Phase One Study Area include:

- Dry cleaners were present at 133 Wynford Drive from the 1970s to the 1980s.
- A service station was present at 150 Wynford Drive from the 1970s to 1990s.
- Dry cleaners were present at 20 Wynford Heights Crescent from the 1970s to the 1990s.

4.1.6 Environmental Reports

The following reports for the Site and Phase One Study Area were available as part of the records review and are summarized below:

"Phase One Environmental Site Assessment: 175 Wynford Drive, Toronto, Ontario", dated November 2014. Prepared by exp Services, Inc. Prepared for Allied Hotel Properties Inc.

- No PCAs or APECs were identified.
- An AST was identified in the southern boiler room, for diesel to operate the emergency generator, and was deemed to be in good condition.
- Two hydraulic elevators were identified.
- Off-site PCAs were not retained due to either distance or registered RSCs which indicated no significant groundwater impacts.

"Preliminary Geotechnical Investigation: 175 Wynford Drive, Toronto, Ontario", dated January 2018. Prepared by McClymont and Rak Engineers, Inc. Prepared for Allied Hotel Properties Inc.

- The following subsurface geologic layers were identified as part of borehole drilling:

- Fill to a depth of 0.90 mbgs;
- Compact brown sand with trace gravel to a depth of 1.52 mbgs;
- Sandy silt till/clayey silt till to a depth of 36.81 mbgs;
- Sand/silt/clayey till to a depth of 44.96 mbgs; and
- Shale bedrock at a depth of 44.96 mbgs (86.94 masl).
- Groundwater was summarized from previous investigations, indicating it ranged from depths of 9.03 to 14.43 mbgs. However, MCR measured a depth of 5.20 mbgs in January 2018.

4.1.7 Other Records

A Google Street Search dated September 2017 confirmed the land use of the Site and adjoining properties.

4.2 Environmental Source Information

An inquiry was sent to the Ontario MOECC, Freedom of Information Office, with regard to records of the Site, in February 2018. A response was not received prior to publication. Any notable response received will be forwarded to the client.

Technical Standards and Safety Authority (TSSA) registers underground storage tanks (USTs) since 1987. An inquiry was sent to the TSSA with regard to records of the Site, in February 2018. A response was not received prior to publication. Any notable response received will be forwarded to the client.

4.2.1 MOECC Notices, Instruments and Reports

MCR contracted Ecolog to search any available federal, provincial or private databases for the Phase One Study Area. Appendix A contains the Ecolog Report. No records were found for the Site. The following notable records were found within the Phase One Study Area:

- An RSC was filed for a high rise condominium at 181 Wynford Drive, filed in 2007 with no CPU.
- An RSC was filed at 133 Wynford Drive in 2007 for residential use with no CPU.
- An RSC was filed at 150 Wynford Drive in 2000 for commercial use with no CPU.

4.2.2 Databases

- A review by Ecolog of the National Pollutant Release Inventory found no records within the Phase One Study Area.
- A review by Ecolog of the National PCB Inventory and Ontario Inventory of PCB Storage Sites found no records within the Phase One Study Area.
- A review by Ecolog of the Inventory of Coal Gasification Plant Waste Sites in Ontario (1987) found no records within the Phase One Study Area.
- A review by Ecolog of the Ontario Regulation 347 Waste Generators found the following records for the Site and Phase One Study Area:
 - The Site had records listed for 1250 Eglinton Avenue for acid waste, alkaline waste and waste oils in 2009 to 2011.
 - CTSC at Eglinton Avenue East and Wynford Drive registered for waste oils for 2016-2017.
- A review by Ecolog of the Commercial Fuel Tanks Directory, List of TSSA Expired Facilities database, TSSA Fuel Storage Tank database, the Historic TSSA database, Anderson's Storage Tanks database, Transport Canada Fuel Storage Tanks database and the Retail Fuel Storage Tanks database found no records for the Site. Records for the Phase One Study Area were:
 - Gasoline USTs at the Shell gas station, located at 150 Wynford Drive.
- A review by Ecolog of the MOECC's Waste Disposal Site Inventory (June 1991) found no records within the Phase One Study Area.
- A review by Ecolog of the MOECC's Inventory for Industrial Sites Producing or Using Coal Tar and Related Tars (1988) found no records within the Phase One Study Area.
- A review by Ecolog of the National Environmental Emergency System found no records within the Phase One Study Area.
- A review by Ecolog of the Ontario Spills Action Centre and TSSA Incidents databases found no liquid spill records for the Site. The following notable records were found within the Phase One Study Area:
 - A spill of antifreeze was occurred onto the road at Wynford Drive and Wynford Heights in 2011.
 - A spill of antifreeze occurred onto the road at Eglinton Avenue East and Wynford Drive in 1993. A similar spill occurred at this intersection in 1997.
- A review by Ecolog of the Scott's Manufacturing Directory found no notable records within the Phase One Study Area.
- A review of the Pesticide Register database found no records within the

Phase One Study Area.

4.3 Physical Setting

4.3.1 Aerial Photographs

Aerial photographs for the years of 1947, 1953, 1962, 1971 and 1992 were viewed online, using the City of Toronto Archives database. Aerial photos for 2009 and 2017 were viewed online using Google Earth. An aerial photograph for every available decade was reviewed as this was deemed to be a reasonable search effort. Additional photos, where available, were reviewed where a change in property use required more information. The following notable information was gleaned from the photographs:

- **1953:** Site is undeveloped woodland. Some agricultural fields are present within the Phase One Study Area.
- **1962:** Some clearing of forest visible on-site, likely related to development of Don Valley Parkway which is now present west of the Site. Eglinton Avenue East is also present south of the Site and Wynford Drive is in the process of development.
- **1971:** Site is fully developed with present day hotel and parking lot. Surrounding properties north of the Site are developed.
- **1992:** No changes to the Site. Properties south of Eglinton Avenue East now present.
- **2009, 2017:** No notable changes to the Site or Phase One Study Area.

4.3.2 Topography

Regional and local topography are summarized in Sections 4.3.2.1 and 4.3.2.2, respectively.

4.3.2.1 Regional Topography

The topography of the region surrounding the Phase One Study Area, as shown in Figure 1, slopes east towards Don River, located 280 m south of the Site.

4.3.2.2 Local Topography

On a local scale, according to the topographic information shown on Figure 1, Phase One Study Area grades towards the east to Don River, located 280 m east of the Site. The Site and general vicinity slope significantly to the east. The Site is

currently graded to approximately 130 masl based on available engineering drawings.

4.3.3 Geology and Hydrogeology

Regional and local geology and hydrogeology are summarized in Sections 4.3.3.1 and 4.3.3.2, respectively.

4.3.3.1 Regional Geology and Hydrogeology

The bedrock formation of the region is shale, limestone, dolostone and siltstone from the Georgian Bay formation. The surficial formations consist mainly of sedimentary lacustrine deposits. According to a Quaternary Geology Map of Southern Ontario (Ministry of Northern Development and Mines, 1990), the subsurface soils in the Phase One Study Area are sequences of clayey and sandy silt tills. It should be noted that the subsurface soil, rock and groundwater conditions assumed represent generalized conditions only, and should not be considered site-specific.

The Phase One Study Area is in the Don River Watershed, which drains to the east at Don River, located 280 m east of the Site. It is expected that the groundwater flow at a regional scale would follow should be directed toward the southeast.

4.3.3.2 Local Geology and Hydrogeology

On a local scale, geological conditions and hydrogeology are similar to the ones at a regional scale. The groundwater table can be influenced by nearby subsurface water bodies, subsurface utilities, or structures as well as by historical fill/redevelopment works, and can be best confirmed through long-term monitoring.

Bedrock for the Phase One Study Area is estimated to be at a depth of 86.94 masl, approximately 44.96 mbgs.

4.3.4 Fill Materials

The records review indicates the Site was partially developed during the construction of the Don Valley Parkway, located west of the Site, and may have been used for stockpiling of soil or placement of fill.

4.3.5 Water Bodies and Areas of Natural Significance

The nearest surface water body to the Phase One Property is Don River, located 280 m east of the Site. A seasonal creek may be present on the northern portion of the Site. There are no areas of natural significance in the Phase One Study Area.

4.3.6 Well Records

There are no records of potable drinking wells on the Phase One Property. The Phase One Study Area is part of the Greater Toronto Area which obtains its drinking water from Lake Ontario and does not rely on groundwater. Monitoring wells were visible on the Site during site reconnaissance.

4.4 Site Operating Records

No site operating records were available for review.

5.0 INTERVIEWS

Mr Kevin Porter was interviewed during the site visit on February 15, 2018. Mr Porter has worked at the Site for 11 years. Information gleaned from the interview was incorporated in the report. Key information provided by the interview includes:

- No underground or aboveground storage tanks or chemical storage was known to be historically or currently present on the Site.
- An AST is present in the basement of the southern boiler room however it has not been filled for a long time due to the fill pipe missing a backflow piece.
- The building was constructed in 1968
- No spills or floods are known to have occurred on the Site.
- Mr Porter was not aware of any other potential for contamination on the Site.

6.0 SITE RECONNAISSANCE

6.1 General Information

A reconnaissance of the Site and surroundings was completed by MCR staff (Ms Reese McMillan) for evaluating potential environmental risk factors. The Site visit

took place on February 15, 2018, from 1:00 pm to 2:00 pm. The weather was sunny, with temperatures around 5°C. Photographs are provided in Appendix B.

6.2 Specific Observations at the Site

The Site has an irregular shape with an area of approximately 21,400 m² and is currently developed with a hotel and parking lot. The following features were encountered on the Site:

- A seven storey hotel, with an area of approximately 7,303 m², occupying 34% of the Site. The hotel varies in height from two stories to seven stories and also includes a basement and two levels of underground parking.
- An asphalt parking lot on the eastern portion of the Site with an area of approximately 2,800 m², occupying 13% of the Site.
- Miscellaneous landscaping, walkways, driveways and natural areas, occupying approximately 11,297 m² or the remaining 53% of the Site.

The following observations were made with regard to the Site inspection:

- No unidentified substances, corrosion, staining or any other notable features were observed at the Site.
- All asphalt appeared in good condition.
- All concrete flooring appeared in good condition.
- No areas of stressed vegetation were identified on the Phase One Property. Majority of vegetation on the Site was not visible due to significant snow cover.
- There was no evidence of underground storage tanks, chemicals, or designated substances on the Site. An above ground storage tank was noted in the southern boiler room. The storage room by the indoor pool had storage of various pool chemicals but not in bulk quantities.
- No natural water courses or features, standing water or ditches were noted on any of the Site portions. A creek may be seasonally present at the northern portion of the Site but was inaccessible due to deep snow.
- The Site grading was sloped to the south.

6.3 Enhanced Investigation Property

As stated in Schedule D, Section 13(3) of O.Reg.153/04, an enhanced investigation is only required when the subject Site is currently used as a garage, a bulk liquid dispensing facility or operating dry cleaning equipment. Since the Site is not

currently used for any of these activities, the Site was not deemed to be an enhanced investigation property.

6.4 Written Description of Inspection

The Site was inspected on February 15, 2018. Photographs were taken throughout the Site (as provided in the attached photo log) and any relevant observations were recorded. No notable features of the Site were observed with the exception of a diesel AST noted in the southern boiler room.

6.5 Observations of Adjoining Properties

The Site is located on the northwest corner of Wynford Drive and Eglinton Avenue East, in the City of Toronto (see Figure 2):

North: Residential properties.

East: Wynford Drive followed by residential properties.

South: Eglinton Avenue East followed by residential properties.

West: Residential properties followed by Don Valley Parkway.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Current and Past Uses

The records review indicates the first developed use of the Site was for its present use as a hotel in 1968.

7.2 Potentially Contaminating Activities

The following PCAs, identified based on the overall history and use of the Site and surrounding area, have the potential to impact the soil and/or groundwater beneath the Site (see Figure 4):

On-site:

- **PCA 1: Importation of Fill Material of Unknown Quality.** The Site may have been used during the development of the Don Valley Parkway for stockpiling or fill placement.
- **PCA 2: Use of Salt and De-icing Products.** De-icing products have been used on the parking lot on the eastern portion of the Site.
- **PCA 3: Gasoline and Associated Products Storage in Tanks.** An AST and associated piping is present in the southern boiler room.

These PCAs could lead to the following areas of potential environmental concern at the Site:

7.3 Areas of Potential Environmental Concern

Based on the finding of this Phase One ESA, MCR concludes that there are the following areas of potential environmental concern (APECs) associated with the Site that indicate potential for contamination in the soil or groundwater beneath the Site:

- **APEC 1: Western portion of Site.** The Site may have been used during the development of the Don Valley Parkway for stockpiling or fill placement.
- **APEC 2: Parking lot.** De-icing products have been used on the parking lot on the eastern portion of the Site.
- **APEC 3: Southern portion of Site near boiler room.** An AST and associated piping is present in the southern boiler room.

7.4 Phase One Conceptual Site Model

The Site is located on the northwest corner of Wynford Drive and Eglinton Avenue East, in the City of Toronto (Figure 1). Table 1 describes the PCAs, identified based on the overall history of the Site and surrounding area, that have the potential to impact the soil and/or groundwater beneath the Site (See Figure 4).

7.4.1 Uncertainties Affecting the Validity of the Phase One ESA

The Phase One ESA obtained supporting background information from various sources including: aerial photographs, City directories, property title search, interviews, site reconnaissance, etc. Each of these information sources was

thoroughly examined and there is no indication of uncertainty with any of these sources that would invalidate the Phase One Conceptual Site Model.

8.0 CONCLUSIONS

8.1 Further Environmental Investigation

The objective of this assessment was to document current conditions of the Site and flag potential environmental issues associated with its suitability for development. The work included a review of historical uses of the Site and its surrounding area, as well as a visual inspection of the Site and vicinity.

Based on the findings of this Phase One ESA, further environmental investigation is warranted for the Site.

8.2 Record of Site Condition

A Record of Site Condition (RSC) cannot be obtained for the Site without a Phase Two ESA at this time.

9.0 SIGNATURES

MCR is a firm involved in environmental, geotechnical, and materials testing engineering. The Toronto office of MCR, which is one hundred percent Canadian owned, has a proven track record of successfully completing environmental projects since 1982. The following persons were involved with the environmental assessment for the subject Site:

- Mr Lad J. Rak, M. Eng., P. Eng., Vice President for MCR, has over thirty years of experience in conducting environmental assessments and remediation projects.
- Ms Reese McMillan, M.Sc., has over six years of experience in conducting environmental assessments and investigations.

McCLYMONT&RAK ENGINEERS, INC.

Respectfully,
McClymont & Rak Engineers Inc.



Reese McMillan, M.Sc.



Lad J. Rak, M.Eng., P.Eng.

Date of Issue: February 20, 2018

REFERENCES

1. Chapman and Putnam. The Physiography of Southern Ontario, 1984.
2. Ontario Ministry of Environment (MOE), 2011. Soil, Ground Water, and Sediment Standards for Use under Part XV.1 of the Environmental Protection Act, 15 April 2011.
3. ERIS EcoLog Report, dated February 5, 2018.
4. Exp Services Inc. *Phase One Environmental Site Assessment: 175 Wynford Drive, Toronto, Ontario*. November 2014.
5. Google: *Street View*, September 2017.
6. McClymont and Rak Engineers, Inc. *Preliminary Geotechnical Investigation: 175 Wynford Drive, Toronto, Ontario*. January 2018.
7. Ministry of Northern Development and Mines. *Bedrock Geology of Ontario*, Sheet Map 2544, 1991.
8. Ministry of Northern Development and Mines. *Quaternary Geology. Toronto and Surrounding Area*, Sheet Map 2204, 1990.
9. Ministry of Northern Development and Mines. *Quaternary Geology of Toronto and Southern Ontario*, Sheet Map 2441, 1979.
10. Topographic Map: Natural Resources Canada, Atlas of Canada – 1991 (<http://atlas.gc.ca/toporama/en/index.html>).

STATEMENT OF LIMITATIONS

- 1) McClymont & Rak Engineers, Inc. (MCR) conducted the work associated with this report in accordance with the scope of services, time and budget limitations imposed for this work. The work has been conducted according to reasonable and generally accepted local standards for an environmental consultant at the time of the work. No other warranty or representation, expressed or implied, is included or intended in this report.
- 2) The work was designed to provide an overall assessment of the environmental conditions on the Site. The conclusions presented in this report are based on the information obtained during the investigation. The work is intended to reduce the client's risk with respect to environmental impairment. No work can completely eliminate the possibility of further environmental impairment on the Site.
- 3) It should be noted that subsurface conditions might vary at locations and depths other than those locations where borings, surveys or explorations were made by MCR. Other contaminants, not tested for in this work, may also potentially be present on the Site. Even with exhaustive investigation, it is not possible to warranty the Site will be free of contaminants. Should conditions, not observed during the work, become apparent, MCR should be immediately notified to assess the situation and conduct additional work, where required.
- 4) The findings of this report are based on conditions as they were observed at the time of the work. No assurance is made regarding changes in conditions subsequent to the time of the work.
- 5) Remediation cost estimates are based on the available information. The estimated costs for remediation only represent the costs for the clean up of known contaminants that have been identified during the work. Additional costs may be incurred as a result of other contaminants or areas of contamination identified by subsequent work.
- 6) Regulatory statutes are subject to interpretation. These statutes and their interpretation may change over time, thus these issues should be reviewed with appropriate legal counsel.
- 7) MCR relied on information provided by others in this report. MCR cannot guarantee the accuracy, completeness and reliability of the information provided by others, although MCR staff attempted to seek clarification on information provided and verify authenticity, where practical.
- 8) The report and its attachments were prepared for and made available for the sole use of the client. MCR will not be responsible for any use or interpretation of the information contained in this report by any other party without the prior expressed written consent of MCR.

FIGURES



LEGEND:


- PHASE ONE SITE BOUNDARY
- ROAD NETWORK
- TOPOGRAPHICAL CONTOUR (M)


Drawing Notes: Image drafted from property survey, Toronto Maps, Google Maps, and site inspections. Not for construction purposes.

TRUE NORTH

0 50 100 250 500

SCALE (m)

		
McCLYMONT & RAK ENGINEERS, INC. GEO-ENVIRONMENTAL CONSULTANTS		
175 WYNFORD DRIVE, TORONTO, ONTARIO		
AREA MAP		
Project No. ME5276	Date FEBRUARY 2018	Drawing No. 1



LEGEND:

--- PHASE ONE SITE BOUNDARY

--- PHASE ONE STUDY AREA (250 m RADIUS)


Drawing Notes: Image drafted from property survey, Toronto Maps, Google Maps, and site inspections. Not for construction purposes.

TRUE NORTH

0 50 100 250

SCALE (m)

		McCLYMONT & RAK ENGINEERS, INC. GEO-ENVIRONMENTAL CONSULTANTS	
175 WYNFORD DRIVE, TORONTO, ONTARIO			
PHASE ONE STUDY AREA			
Project No. ME5276	Date FEBRUARY 2018	Drawing No. 2	



LEGEND:
--- PHASE ONE SITE BOUNDARY

TRUE NORTH



0 10 25 50

SCALE (m)



McCLYMONT & RAK
ENGINEERS, INC.
GEO-ENVIRONMENTAL CONSULTANTS

175 WYNFORD DRIVE,
TORONTO, ONTARIO

SITE PLAN


Project No. ME5276

Date FEBRUARY 2018

Drawing No. 3

Drawing Notes: Image drafted from property survey, Toronto Maps, Google Maps, and site inspections. Not for construction purposes.

APEC	POTENTIALLY CONTAMINATING ACTIVITIES (PCA)
APEC1 - WESTERN PORTION OF SITE	IMPORTATION OF FILL MATERIAL OF UNKNOWN QUALITY (ONSITE)
APEC2 - SOUTHERN PORTION OF SITE	GASOLINE AND ASSOCIATED PRODUCTS IN TANKS
APEC3 - PARKING LOT	SALT AND DE-ICING PRODUCTS



LEGEND:
--- PHASE ONE SITE BOUNDARY

TRUE NORTH

0 10 25 50

SCALE (m)



McCLYMONT & RAK
ENGINEERS, INC.
GEO-ENVIRONMENTAL CONSULTANTS

175 WYNFORD DRIVE,
TORONTO, ONTARIO

PHASE ONE CONCEPTUAL SITE MODEL

Project No. ME5276

Date FEBRUARY 2018

Drawing No. 4

TABLES

TABLE OF AREAS OF POTENTIAL ENVIRONMENTAL CONCERN
(Refer to clause 16(2)(a), Schedule D, O. Reg. 153/04)

Area of Potential Environmental Concern ¹	Location of Area of Potential Environmental Concern on Phase One Property	Potentially Contaminating Activity ²	Location of PCA (on-site or off-site)	Contaminants of Potential Concern ³	Media Potentially Impacted (Ground water, soil and/or sediment)
APEC1	Western portion of Phase One Property	30. Importation of Fill Material of Unknown Quality	On-site	- Metals; As, Sb, Se; B-HWS; Hg; Cr(VI) - PHCs - BTEX - VOCs; THMs - PAHs - EC - SAR	Soil, GW
APEC2	Southern portion of Phase One Property	28. Gasoline and Associated Products Storage in Fixed Tanks	On-site	- PHCs - BTEX	Soil, GW
APEC3	Parking lot at eastern portion of Phase One Property	Other- Use of Salt and De-icing Products	On-site	- EC - SAR - Cl ⁻ - Na	Soil, GW

1 – Area of Potential Environmental Concern means the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through:

- (a) identification of past or present uses on, in or under the phase one property, and
(b) identification of potentially contaminating activity.

2 – Potentially Contaminating Activity means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or as occurred in a Phase One Study Area.

3 – When completing this column, identify all contaminants of potential concern using the Method Groups as identified in the "Protocol of in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011, as specified below:

ABNs	PCBs	Metals	Electrical Conductivity	SAR
CPs	PAHs	As, Sb, Se	Cr(VI)	
1,4-Dioxane	THMs	Na	Hg	
Dioxins/Furans, PCDDs/PCDFs	VOCs	B-HWS	Methyl Mercury	
OCs	BTEX	Cl ⁻	high pH	
PHCs	Ca, Mg	CN ⁻	low pH	

4 – When submitting a record of site condition for filing, a copy of this table must be attached.

****Cette publication hautement spécialisée n'est disponible qu'en Anglais en vertu du règlement 671/92, qui en exempte l'application de la Loi sur les services en français. Pour obtenir de l'aide en français, veuillez communiquer avec le ministère de l'Environnement au 1-800-461-6290.**

APPENDIX A



DATABASE REPORT

Project Property: 5276 Wynford (176)
175 Wynford Dr
Toronto ON M3C1J3

Project No:

Report Type: Standard Express Report

Order No: 20180205164

Requested by: McClymont & Rak Engineers Inc.

Date Completed: February 5, 2018

**Environmental Risk
Information Services**
A division of Glacier Media Inc.
P: 1.866.517.5204
E: info@erisinfo.com

www.erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	11
Map.....	17
Aerial.....	18
Topographic Map.....	19
Detail Report.....	20
Unplottable Summary.....	63
Unplottable Report.....	69
Appendix: Database Descriptions.....	123
Definitions.....	131

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 5276 Wynford (176)
175 Wynford Dr Toronto ON M3C1J3

Project No:

Coordinates:

Latitude: 43.725264
Longitude: -79.327757
UTM Northing: 4,842,717.99
UTM Easting: 634,688.60
UTM Zone: UTM Zone 17T

Elevation: 428 FT
130.53 M

Order Information:

Order No: 20180205164
Date Requested: February 5, 2018
Requested by: McClymont & Rak Engineers Inc.
Report Type: Standard Express Report

Historical/Products:

City Directory Search Subject Site plus 250m Radius
Insurance Products Fire Insurance Maps/Inspection Reports/Site Specific Plans

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	31	31
CA	Certificates of Approval	Y	0	1	1
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	0	0
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	2	2
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EXP	List of TSSA Expired Facilities	Y	0	10	10
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	9	9
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	TSSA Incidents	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBW	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGW	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PINC	<i>TSSA Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	1	1
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	7	7
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	1	1
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	1	1
SPL	<i>Ontario Spills</i>	Y	0	5	5
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>TSSA Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	11	11
		Total:	0	79	79

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
--------------------	-----------	--------------------------	----------------	---------------------	--------------------------	------------------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	BORE		ON	W/34.2	-0.69	20
2	GEN	HOLIDAY INN DON VALLEY	1250 EGLINTON AVENUE EAST DON MILLS ON M3C 1J3	SSE/35.9	0.42	20
2	GEN	Allied Don Valley Hotel Inc.	1250 Eglinton Ave. E Toronto ON M3C 1J3	SSE/35.9	0.42	20
2	GEN	Allied Don Valley Hotel Inc.	1250 Eglinton Ave. E Toronto ON M3C 1J3	SSE/35.9	0.42	21
2	GEN	Allied Don Valley Hotel Inc.	1250 Eglinton Ave. E Toronto ON M3C 1J3	SSE/35.9	0.42	21
2	GEN	Allied Don Valley Hotel Inc.	1250 Eglinton Ave. E Toronto ON M3C 1J3	SSE/35.9	0.42	21
3	BORE		ON	SE/42.2	0.54	22
4	BORE		ON	WSW/56.0	-0.69	22
5	BORE		ON	SE/64.5	1.15	23
6	BORE		ON	E/66.3	-1.08	23
7	BORE		ON	SE/71.9	0.84	23
8	WWIS		TORONTO ON	W/73.9	-0.49	24
9	BORE		ON	E/76.3	-1.09	26
10	RSC	The Residences at Accolade Inc.	181 Wynford Drive, TORONTO ON M3C 0C6	WSW/79.5	0.00	27
11	WWIS		ON	NNE/88.8	-1.33	27
12	BORE		ON	S/96.4	-0.69	28
13	BORE		ON	SE/100.0	0.47	28
14	BORE		ON	ESE/100.7	0.62	29
15	BORE		ON	NNW/110.2	-0.59	29
16	BORE		ON	NNE/114.6	-0.86	29
17	BORE		ON	ESE/124.5	-0.16	30
18	BORE		ON	S/125.3	-0.69	31
19	BORE		ON	ESE/133.9	-5.73	31

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
20	BORE		ON	ESE/146.8	-2.50	32
21	BORE		ON	ENE/151.6	0.06	32
22	SPL	Toronto Transit Commission	Wynford Drive and Wynford Heights Toronto ON	N/153.5	0.36	32
23	BORE		ON	E/158.1	-1.46	33
24	GEN	1300361 Ontario Inc.	123 Wynford Drive Toronto ON M3C 1K1	NW/160.5	-0.01	33
25	WWIS		TORONTO (NORTH YORK) ON	W/161.0	1.98	33
26	WWIS		ON	ESE/166.0	-8.06	36
27	SPL		187 Winford Drive Toronto ON	ESE/166.4	-10.71	36
28	RSC	Serafina Estates Inc.	133 WYNFORD DR, TORONTO, ON, M3C 1K1, ON M3C 0J5	N/172.8	0.90	37
29	BORE		ON	ENE/175.1	0.30	37
30	WWIS		TORONTO ON	N/181.8	1.23	38
31	BORE		ON	ENE/188.5	0.26	39
32	BORE		ON	ENE/191.4	1.16	40
33	WWIS		TORONTO ON	N/194.7	1.32	40
34	BORE		ON	ESE/200.8	-10.80	42
35	WWIS		TORONTO ON	NNE/201.9	1.27	42
36	BORE		ON	NE/202.3	-0.71	44
37	BORE		ON	ESE/213.8	-10.86	44
38	WWIS		TORONTO ON	N/214.3	1.67	45
39	BORE		ON	NE/214.6	-0.64	46
40	BORE		ON	NE/215.8	-0.67	47
41	WWIS		TORONTO ON	N/217.9	1.64	47
42	SPL	TORONTO TRANSIT COMMISSION	EGLINTON AVE EAST AT WYNFORD. TORONTO CITY ON	ESE/218.0	-10.38	49
43	CA	NORTH YORK CITY	WYNFORD DR./EGLINTON AVE. NORTH YORK CITY ON	ESE/219.3	-10.38	49
43	SPL	PRIVATE OWNER	WINFORD DRIVE S/B AT EGLINTON. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	ESE/219.3	-10.38	49
44	GEN	CTSC	Eglinton and Wynford Toronto ON M3C 3S2	ESE/221.4	-10.38	50

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
44	GEN	CTSC	Eglinton and Wynford Toronto ON M3C 3S2	ESE/221.4	-10.38	50
45	BORE		ON	ESE/227.1	-9.86	50
46	SPL	TORONTO TRANSIT COMMISSION	CORNER OF CONCORD GATE AND WYNFORD DRIVE. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	N/228.4	2.68	51
47	WWIS		TORONTO ON	N/229.0	2.16	51
48	BORE		ON	E/230.5	1.41	53
49	BORE		ON	NNE/230.7	0.83	53
50	EHS		150 Wynford Dr North York ON M3C 1K6	NNE/235.0	1.72	54
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE/235.0	1.72	54
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE/235.0	1.72	54
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE/235.0	1.72	54
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE/235.0	1.72	55
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON	NNE/235.0	1.72	55
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON	NNE/235.0	1.72	55
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON	NNE/235.0	1.72	55
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE/235.0	1.72	56
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE/235.0	1.72	56
50	EXP	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE/235.0	1.72	56
50	GEN	494979 Ontario Limited	150 Wynford Drive Toronto ON M3C 1K6	NNE/235.0	1.72	56
50	PRT	WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON	NNE/235.0	1.72	56
50	RSC		150 Wynford Dr North York ON M3C 1K6	NNE/235.0	1.72	57
50	RSC		150 Wynford Dr. Toronto ON M3C 1K6	NNE/235.0	1.72	57
50	RSC		150 Wynford Dr Toronto ON M3C 1K6	NNE/235.0	1.72	58
50	RSC	494979 Ontario Limited	150 WYNFORD DR, NORTH YORK, ON, M3C 1K6 North York ON M3C 1K6	NNE/235.0	1.72	58
50	RSC	494979 Ontario Limited	150 WYNFORD DR, NORTH YORK, ON, M3C 1K6 North York ON M3C 1K6	NNE/235.0	1.72	59
50	RST	WYNFORD SHELL	150 WYNFORD DR NORTH YORK ON M3C1K6	NNE/235.0	1.72	59

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
50	SCT	Bay Communications & Marketing	150 Wynford Dr Suite 211 Toronto ON M3C 1K6	NNE/235.0	1.72	59
51	WWIS		TORONTO ON	N/235.4	2.67	60
52	BORE		ON	NE/237.6	-1.85	61
53	EHS		ROW Toronto ON	SSW/244.9	-1.94	62
54	BORE		ON	ESE/246.5	-10.80	62

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2014 has found that there are 31 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SE	42.17	<u>3</u>
	ON	SE	64.52	<u>5</u>
	ON	SE	71.90	<u>7</u>
	ON	SE	100.04	<u>13</u>
	ON	ESE	100.67	<u>14</u>
	ON	ENE	151.55	<u>21</u>
	ON	ENE	175.10	<u>29</u>
	ON	ENE	188.53	<u>31</u>
	ON	ENE	191.37	<u>32</u>
	ON	E	230.54	<u>48</u>
	ON	NNE	230.71	<u>49</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	W	34.23	<u>1</u>
	ON	WSW	55.95	<u>4</u>
	ON	E	66.30	<u>6</u>
	ON	E	76.32	<u>9</u>
	ON	S	96.37	<u>12</u>
	ON	NNW	110.24	<u>15</u>

ON	NNE	114.55	16
ON	ESE	124.54	17
ON	S	125.33	18
ON	ESE	133.93	19
ON	ESE	146.81	20
ON	E	158.09	23
ON	ESE	200.76	34
ON	NE	202.26	36
ON	ESE	213.77	37
ON	NE	214.61	39
ON	NE	215.85	40
ON	ESE	227.06	45
ON	NE	237.58	52
ON	ESE	246.51	54

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 1 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
NORTH YORK CITY	WYNFORD DR./EGLINTON AVE. NORTH YORK CITY ON	ESE	219.33	43

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 2016 has found that there are 2 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	150 Wynford Dr North York ON M3C 1K6	NNE	235.04	50

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------------------------	-----------------------	-------------------------	----------------------------	-----------------------

EXP - List of TSSA Expired Facilities

A search of the EXP database, dated Feb 28, 2017 has found that there are 10 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE	235.04	50
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON M3C 1K6	NNE	235.04	50

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jun 2017 has found that there are 9 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Allied Don Valley Hotel Inc.	1250 Eglinton Ave. E Toronto ON M3C 1J3	SSE	35.86	2
HOLIDAY INN DON VALLEY	1250 EGLINTON AVENUE EAST DON MILLS ON M3C 1J3	SSE	35.86	2
Allied Don Valley Hotel Inc.	1250 Eglinton Ave. E Toronto ON M3C 1J3	SSE	35.86	2
Allied Don Valley Hotel Inc.	1250 Eglinton Ave. E Toronto ON M3C 1J3	SSE	35.86	2
Allied Don Valley Hotel Inc.	1250 Eglinton Ave. E Toronto ON M3C 1J3	SSE	35.86	2
494979 Ontario Limited	150 Wynford Drive Toronto ON M3C 1K6	NNE	235.04	50

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1300361 Ontario Inc.	123 Wynford Drive Toronto ON M3C 1K1	NW	160.55	24
CTSC	Eglinton and Wynford Toronto ON M3C 3S2	ESE	221.37	44
CTSC	Eglinton and Wynford Toronto ON M3C 3S2	ESE	221.37	44

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
WYNFORD HEIGHTS SHELL	150 WYNFORD DR DON MILLS ON	NNE	235.04	50

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Nov 2017 has found that there are 7 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Residences at Accolade Inc.	181 Wynford Drive, TORONTO ON M3C 0C6	WSW	79.48	10
Serafina Estates Inc.	133 WYNFORD DR, TORONTO, ON, M3C 1K1, ON M3C 0J5	N	172.77	28
	150 Wynford Dr North York ON M3C 1K6	NNE	235.04	50
	150 Wynford Dr. Toronto ON M3C 1K6	NNE	235.04	50
	150 Wynford Dr Toronto ON M3C 1K6	NNE	235.04	50
494979 Ontario Limited	150 WYNFORD DR, NORTH YORK, ON, M3C 1K6	NNE	235.04	50
494979 Ontario Limited	North York ON M3C 1K6 150 WYNFORD DR, NORTH YORK, ON, M3C 1K6 North York ON M3C 1K6	NNE	235.04	50

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-May 2017 has found that there are 1 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
WYNFORD SHELL	150 WYNFORD DR NORTH YORK ON M3C1K6	NNE	235.04	50

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 1 SCT site(s) within approximately 0.25 kilometers of

the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Bay Communications & Marketing	150 Wynford Dr Suite 211 Toronto ON M3C 1K6	NNE	235.04	50

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2017 has found that there are 5 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Toronto Transit Commission	Wynford Drive and Wynford Heights Toronto ON	N	153.55	22
TORONTO TRANSIT COMMISSION	CORNER OF CONCORD GATE AND WYNFORD DRIVE. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	N	228.44	46

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	187 Winford Drive Toronto ON	ESE	166.41	27
TORONTO TRANSIT COMMISSION	EGLINGTON AVE EAST AT WYNFORD. TORONTO CITY ON	ESE	217.99	42
PRIVATE OWNER	WINFORD DRIVE S/B AT EGLINTON. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	ESE	219.33	43

WWIS - Water Well Information System

A search of the WWIS database, dated Mar 31, 2017 has found that there are 11 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	TORONTO (NORTH YORK) ON	W	161.04	25
	TORONTO ON	N	181.77	30
	TORONTO ON	N	194.73	33
	TORONTO ON	NNE	201.90	35
	TORONTO ON	N	214.34	38
	TORONTO ON	N	217.91	41
	TORONTO ON	N	228.96	47
	TORONTO ON	N	235.36	51

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	TORONTO ON	W	73.91	<u>8</u>
	ON	NNE	88.77	<u>11</u>
	ON	ESE	166.00	<u>26</u>



- | | | | |
|-------------------------------------|----------------------|-----------------------------------|--------------------------------|
| ★ Project Property | Expressway | Industrial and Resource - Regions | National Park |
| ⬡ Buffer Outline | Principal Highway | Main Line | Provincial or Territorial Park |
| ▲ Eris Sites with Higher Elevation | Secondary Highway | Sidetrack | Other Park |
| ■ Eris Sites with Same Elevation | Major Road | Transit Line | Golf Course or Driving Range |
| ▼ Eris Sites with Lower Elevation | Local road | Abandoned Line | Park or Sports Field |
| ○ Eris Sites with Unknown Elevation | Trail | | Other Recreation Area |
| | Proposed Road | | |
| | Ferry Route/Ice Road | | |

79°19'30"W

43°43'30"N

43°43'30"N



Aerial

Address: 175 Wynford Dr, Toronto, ON M3C1J3 CA


Source: ESRI World Imagery

Order No: 20180205164

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



© ERIS Information Limited Partnership



Topographic Map

Address: 175 Wynford Dr, Toronto, ON M3C1J3 CA

Source: ESRI World Topographic Map

Order No: 20180205164



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
1	1 of 1	W/34.2	129.8	ON	BORE
<div> <div> Borehole ID: 653803 Use: Geotechnical/Geological Investigation Drill Method:: Boring Easting:: 634655 Location Accuracy:: Elev. Reliability Note:: Total Depth m:: 4.6 Township:: Lot:: Completion Date:: NOV-1960 Primary Water Use:: Not Used </div> <div> Type: Borehole Status:: UTM Zone:: 17 Northing:: 4842723 Orig. Ground Elev m:: 134 DEM Ground Elev m:: 133 Primary Name:: Concession:: Municipality: Static Water Level:: -999.9 Sec. Water Use:: </div> </div>					
<div> --Details-- Stratum ID: 218540620 Bottom Depth(m): 0.9 Stratum ID: 218540621 Bottom Depth(m): 2.7 Stratum ID: 218540622 Bottom Depth(m): 4.6 </div> <div> Top Depth(m): 0.0 Stratum Desc: SAND(30),SILT. BROWN. Top Depth(m): 0.9 Stratum Desc: SILT(25),SAND(10), CLAY(10),GRAVEL. GREY. Top Depth(m): 2.7 Stratum Desc: CLAY,SAND,SILT, GRAVEL. GREY. 000000110003003200090051Y.GR </div>					
2	1 of 5	SSE/35.9	130.9	HOLIDAY INN DON VALLEY 1250 EGLINTON AVENUE EAST DON MILLS ON M3C 1J3	GEN
<div> <div> Generator No.: ON0779800 Status: Approval Years: 86,87,88,89,90,92,93,94 Contam. Facility: MHSW Facility: SIC Code: 0000 SIC Description: *** NOT DEFINED *** </div> <div> PO Box No.: Country: Choice of Contact: Co Admin: Phone No. Admin: </div> </div>					
2	2 of 5	SSE/35.9	130.9	Allied Don Valley Hotel Inc. 1250 Eglinton Ave. E Toronto ON M3C 1J3	GEN
<div> <div> Generator No.: ON6529405 Status: Approval Years: 06 Contam. Facility: MHSW Facility: SIC Code: 721111 SIC Description: Hotels </div> <div> PO Box No.: Country: Choice of Contact: Co Admin: Phone No. Admin: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--Details--					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
2	3 of 5	SSE/35.9	130.9	Allied Don Valley Hotel Inc. 1250 Eglinton Ave. E Toronto ON M3C 1J3	GEN
Generator No.:	ON6529405			PO Box No.:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	721111				
SIC Description:	Hotels				
--Details--					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
2	4 of 5	SSE/35.9	130.9	Allied Don Valley Hotel Inc. 1250 Eglinton Ave. E Toronto ON M3C 1J3	GEN
Generator No.:	ON6529405			PO Box No.:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	721111				
SIC Description:	Hotels				
--Details--					
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
2	5 of 5	SSE/35.9	130.9	Allied Don Valley Hotel Inc. 1250 Eglinton Ave. E Toronto ON M3C 1J3	GEN
Generator No.:	ON6529405			PO Box No.:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<hr/>					
MHSW Facility:				Phone No. Admin:	
SIC Code:	721111				
SIC Description:		Hotels			
--Details--					
Waste Code:		122			
Waste Description:		ALKALINE WASTES - OTHER METALS			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		112			
Waste Description:		ACID WASTE - HEAVY METALS			
<hr/>					
<u>3</u>	1 of 1	SE/42.2	131.1	ON	BORE
Borehole ID:	635398			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634715			Northing::	4842685
Location Accuracy::				Orig. Ground Elev m::	131
Elev. Reliability Note::				DEM Ground Elev m::	131
Total Depth m::	12.5			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUN-1967			Static Water Level::	.1
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473080			Top Depth(m):	0.0
Bottom Depth(m):	3.4			Stratum Desc:	SAND-MEDIUM,GRAVEL, CLAY,SILT. BROWN,FLUVIO-GLACIAL,DENSE, AGE GLACIAL.
Stratum ID:	218473081			Top Depth(m):	3.4
Bottom Depth(m):	12.5			Stratum Desc:	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,STIFF, AGE GLACIAL, WATER STABLE AT 432.0 FEET.0000001200110
<hr/>					
<u>4</u>	1 of 1	WSW/56.0	129.8	ON	BORE
Borehole ID:	635397			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634635			Northing::	4842703
Location Accuracy::				Orig. Ground Elev m::	134
Elev. Reliability Note::				DEM Ground Elev m::	133
Total Depth m::	12.6			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUN-1967			Static Water Level::	.4
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473078			Top Depth(m):	0.0
Bottom Depth(m):	3.0			Stratum Desc:	GRAVEL,SILT. BROWN,FLUVIO- GLACIAL,DENSE, AGE GLACIAL.

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<hr/>					
Stratum ID:	218473079			Top Depth(m):	3.0
Bottom Depth(m):	12.6			Stratum Desc:	TILL,SILT,CLAY, GRAVEL. BROWN,GLACIAL,FIRM, AGE GLACIAL, WATER STABLE AT 438.4 FEET. 006
<hr/>					
<u>5</u>	1 of 1	SE/64.5	131.7	ON	BORE
Borehole ID:	650927			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634735			Northing::	4842673
Location Accuracy::				Orig. Ground Elev m::	131
Elev. Reliability Note::				DEM Ground Elev m::	131
Total Depth m::	12.6			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1967			Static Water Level::	.1
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531492			Top Depth(m):	0.0
Bottom Depth(m):	0.1			Stratum Desc:	SOIL. BLACK.
Stratum ID:	218531493			Top Depth(m):	0.1
Bottom Depth(m):	3.4			Stratum Desc:	SAND-MEDIUM,GRAVEL, CLAY,SILT. BROWN,DENSE,AGE QUATERNARY, WATER STABLE AT 432.3 FEET.
Stratum ID:	218531494			Top Depth(m):	3.4
Bottom Depth(m):	12.6			Stratum Desc:	TILL,SILT,CLAY, GRAVEL. GREY,HARD,AGE QUATERNARY. 0000301000113045
<hr/>					
<u>6</u>	1 of 1	E/66.3	129.5	ON	BORE
Borehole ID:	635399			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634755			Northing::	4842723
Location Accuracy::				Orig. Ground Elev m::	133
Elev. Reliability Note::				DEM Ground Elev m::	131
Total Depth m::	12.6			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUN-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473082			Top Depth(m):	0.0
Bottom Depth(m):	12.6			Stratum Desc:	TILL,SILT,GRAVEL, CLAY. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL. 012 00000050GR
<hr/>					
<u>7</u>	1 of 1	SE/71.9	131.4	ON	BORE
Borehole ID:	635400			Type:	Borehole

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634735			Northing::	4842663
Location Accuracy::				Orig. Ground Elev m::	131
Elev. Reliability Note::				DEM Ground Elev m::	131
Total Depth m::	12.6			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUN-1967			Static Water Level::	.2
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473083			Top Depth(m):	0.0
Bottom Depth(m):	0.8			Stratum Desc:	SAND, GRAVEL. FLUVIO-GLACIAL, DENSE, AGE GLACIAL.
Stratum ID:	218473084			Top Depth(m):	0.8
Bottom Depth(m):	12.6			Stratum Desc:	TILL, SILT, GRAVEL. BROWN, GLACIAL, DENSE, AGE GLACIAL, WATER STABLE AT 429.6 FEET.0002506000002

8	1 of 1	W/73.9	130.0	TORONTO ON	WWIS
Well ID:	6928804			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	3/8/2005
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7230
Casing Material:				Form Version:	3
Audit No:	Z25167			Owner:	
Tag:	A019970			Street Name:	1250 WYNFORD DR
Construction Method:				County:	YORK
Elevation (m):				Municipality:	NORTH YORK BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	11327773			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	4
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:				Location Method:	wwr
Elevation:	133.643447			Org CS:	UTM83
Elevrc:				Date Completed:	11/26/2004
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933037282			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.00			
Formation End Depth:		2.44			
Formation End Depth UOM:		m			
Formation ID:		933037283			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		2.44			
Formation End Depth:		15.25			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933266683			
Layer:		1			
Plug From:		0.31			
Plug To:		11.57			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966928804			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11342628			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930872746			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth From:		0.00			
Depth To:		12.20			
Casing Diameter:		5.00			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
Casing ID:		930872747			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933412177			
Layer:		1			
Slot:		10			
Screen Top Depth:		12.20			
Screen End Depth:		15.25			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		5.20			
<u>Water Details</u>					
Water ID:		934058754			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		7.50			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11548910			
Diameter:		15.00			
Depth From:		0.00			
Depth To:		15.25			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>9</u>	1 of 1	E/76.3	129.4	ON	BORE
Borehole ID:	650928			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634765			Northing::	4842713
Location Accuracy::				Orig. Ground Elev m::	133
Elev. Reliability Note::				DEM Ground Elev m::	131
Total Depth m::	12.7			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	

--Details--

27 erisinfo.com | Environmental Risk Information Services Order No: 20180205164

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1005916641			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:				UTMRC:	4
Code OB Desc:				UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:				Location Method:	wwr
Elevation:	126.559318			Org CS:	UTM83
Elevrc:				Date Completed:	10/15/2015
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
12	1 of 1	S/96.4	129.8	ON	BORE
Borehole ID:	635401			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634695			Northing::	4842622
Location Accuracy::				Orig. Ground Elev m::	130
Elev. Reliability Note::				DEM Ground Elev m::	130
Total Depth m::	12.5			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUN-1967			Static Water Level::	.2
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473085			Top Depth(m):	0.0
Bottom Depth(m):	8.2			Stratum Desc:	TILL,SILT,GRAVEL. BROWN,GLACIAL,STIFF, AGE GLACIAL.
Stratum ID:	218473086			Top Depth(m):	8.2
Bottom Depth(m):	12.5			Stratum Desc:	SILT,SAND,CLAY. GREY,LACUSTRINE,VERY DENSE, BEDDED,AGE GLACIAL, WATER STABLE AT 428.0 FEET.
13	1 of 1	SE/100.0	131.0	ON	BORE
Borehole ID:	650923			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634755			Northing::	4842643
Location Accuracy::				Orig. Ground Elev m::	131
Elev. Reliability Note::				DEM Ground Elev m::	130
Total Depth m::	12.7			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1967			Static Water Level::	.1
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531480			Top Depth(m):	0.0
Bottom Depth(m):	0.1			Stratum Desc:	SOIL. BLACK.

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Stratum ID:	218531481			Top Depth(m):	0.1
Bottom Depth(m):	0.9			Stratum Desc:	SAND,GRAVEL. DENSE,AGE QUATERNARY, WATER STABLE AT 430.2 FEET.
Stratum ID:	218531482			Top Depth(m):	0.9
Bottom Depth(m):	12.7			Stratum Desc:	TILL,SILT,GRAVEL. BROWN,VERY DENSE, AGE QUATERNARY. 00028035TERNARY.
14	1 of 1	ESE/100.7	131.2	ON	BORE
Borehole ID:	635423			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634775			Northing::	4842666
Location Accuracy::				Orig. Ground Elev m::	130
Elev. Reliability Note::				DEM Ground Elev m::	130
Total Depth m::	12.5			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUN-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473165			Top Depth(m):	0.0
Bottom Depth(m):	8.2			Stratum Desc:	TILL,SILT,GRAVEL. BROWN,GLACIAL,STIFF, AGE GLACIAL.
Stratum ID:	218473166			Top Depth(m):	8.2
Bottom Depth(m):	12.5			Stratum Desc:	SILT,SAND,CLAY. GREY,LACUSTRINE,VERY DENSE, LAYERED,AGE GLACIAL. 011 0000004000270080
15	1 of 1	NNW/110.2	129.9	ON	BORE
Borehole ID:	650933			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634655			Northing::	4842823
Location Accuracy::				Orig. Ground Elev m::	133
Elev. Reliability Note::				DEM Ground Elev m::	133
Total Depth m::	18.7			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	OCT-1970			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531509			Top Depth(m):	0.0
Bottom Depth(m):	18.7			Stratum Desc:	TILL,SILT,CLAY,SAND.BROWN,STIFF,PARTI NGS, AGE QUATERNARY. 015 00000040GREY,ALLU
16	1 of 1	NNE/114.6	129.7	ON	BORE
Borehole ID:	650934			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Drill Method::	Power auger			UTM Zone::	17
Easting::	634735			Northing::	4842823
Location Accuracy::				Orig. Ground Elev m::	134
Elev. Reliability Note::				DEM Ground Elev m::	128
Total Depth m::	24.1			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	SEP-1966			Static Water Level::	0
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531510			Top Depth(m):	0.0
Bottom Depth(m):	2.4			Stratum Desc:	SILT,SAND-FINE TO MEDIUM. BROWN,COMPACT,AGE QUATERNARY, WATER STABLE AT 442.0 FEET.
Stratum ID:	218531511			Top Depth(m):	2.4
Bottom Depth(m):	5.0			Stratum Desc:	TILL,SILT,CLAY. BROWN,VERY DENSE, AGE QUATERNARY.
Stratum ID:	218531512			Top Depth(m):	5.0
Bottom Depth(m):	20.6			Stratum Desc:	TILL,CLAY,SILT, GRAVEL. STIFF,AGE QUATERNARY.
Stratum ID:	218531513			Top Depth(m):	20.6
Bottom Depth(m):	21.3			Stratum Desc:	SAND-FINE TO MEDIUM.GREY,COMPACT,AGE QUATERNARY.
Stratum ID:	218531514			Top Depth(m):	21.3
Bottom Depth(m):	24.1			Stratum Desc:	TILL,SILT,GRAVEL. GREY,VERY DENSE, AGE QUATERNARY. 012 012 000000100008003500

[17](#) 1 of 1 ESE/124.5 130.4 ON **BORE**

Borehole ID:	650925			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634795			Northing::	4842653
Location Accuracy::				Orig. Ground Elev m::	131
Elev. Reliability Note::				DEM Ground Elev m::	130
Total Depth m::	23.5			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1967			Static Water Level::	.1
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531485			Top Depth(m):	0.0
Bottom Depth(m):	0.2			Stratum Desc:	SOIL. BLACK.
Stratum ID:	218531486			Top Depth(m):	0.2
Bottom Depth(m):	10.9			Stratum Desc:	TILL,SILT,GRAVEL, CLAY. BROWN,VERY DENSE, AGE QUATERNARY, WATER STABLE AT 431.0 FEET.
Stratum ID:	218531487			Top Depth(m):	10.9
Bottom Depth(m):	13.3			Stratum Desc:	TILL,SILT-MEDIUM, SAND,GRAVEL. GREY,DENSE,AGE QUATERNARY.
Stratum ID:	218531488			Top Depth(m):	13.3

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Bottom Depth(m):	21.2			Stratum Desc:	TILL,SILT,CLAY, GRAVEL. GREY,HARD,AGE QUATERNARY.
Stratum ID:	218531489			Top Depth(m):	21.2
Bottom Depth(m):	23.5			Stratum Desc:	TILL,SILT,GRAVEL. GREY,VERY DENSE, AGE QUATERNARY. 012 014 012

18	1 of 1	S/125.3	129.8	ON	BORE
Borehole ID:	650922			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634695			Northing::	4842593
Location Accuracy::				Orig. Ground Elev m::	130
Elev. Reliability Note::				DEM Ground Elev m::	129
Total Depth m::	12.6			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1967			Static Water Level::	.2
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531477			Top Depth(m):	0.0
Bottom Depth(m):	0.2			Stratum Desc:	SOIL. BLACK.
Stratum ID:	218531478			Top Depth(m):	0.2
Bottom Depth(m):	8.4			Stratum Desc:	TILL,SILT,GRAVEL, CLAY. BROWN,HARD,AGE QUATERNARY, WATER STABLE AT 428.7 FEET.
Stratum ID:	218531479			Top Depth(m):	8.4
Bottom Depth(m):	12.6			Stratum Desc:	SILT,SAND,CLAY. GREY,VERY DENSE,LAYERED, AGE QUATERNARY. 010 0000505000275090

19	1 of 1	ESE/133.9	124.8	ON	BORE
Borehole ID:	650926			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634815			Northing::	4842673
Location Accuracy::				Orig. Ground Elev m::	131
Elev. Reliability Note::				DEM Ground Elev m::	129
Total Depth m::	23.4			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1967			Static Water Level::	0
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531490			Top Depth(m):	0.0
Bottom Depth(m):	0.1			Stratum Desc:	SOIL. BLACK.
Stratum ID:	218531491			Top Depth(m):	0.1
Bottom Depth(m):	23.4			Stratum Desc:	TILL,SILT,GRAVEL, SAND. BROWN,VERY DENSE, AGE QUATERNARY, WATER STABLE AT 430.9 FEET.00004060MED

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
20	1 of 1	ESE/146.8	128.0	ON	BORE
Borehole ID:	650924			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634815			Northing::	4842643
Location Accuracy::				Orig. Ground Elev m::	130
Elev. Reliability Note::				DEM Ground Elev m::	129
Total Depth m::	15.8			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1967			Static Water Level::	0
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531483			Top Depth(m):	0.0
Bottom Depth(m):	0.1			Stratum Desc:	SOIL. BLACK.
Stratum ID:	218531484			Top Depth(m):	0.1
Bottom Depth(m):	15.8			Stratum Desc:	TILL,SILT,GRAVEL. BROWN,VERY DENSE, AGE QUATERNARY, WATER STABLE AT 428.8 FEET. 008 0000
21	1 of 1	ENE/151.6	130.6	ON	BORE
Borehole ID:	635402			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634832			Northing::	4842768
Location Accuracy::				Orig. Ground Elev m::	133
Elev. Reliability Note::				DEM Ground Elev m::	128
Total Depth m::	12.8			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	MAY-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473087			Top Depth(m):	0.0
Bottom Depth(m):	0.2			Stratum Desc:	SOIL,SAND,ORGANIC. BROWN,AGE POST-GLACIAL.
Stratum ID:	218473088			Top Depth(m):	0.2
Bottom Depth(m):	0.6			Stratum Desc:	SAND,SILT,ORGANIC. BROWN,FLUVIO-GLACIAL,LOOSE, AGE GLACIAL.
Stratum ID:	218473089			Top Depth(m):	0.6
Bottom Depth(m):	12.8			Stratum Desc:	TILL,SILT,CLAY,SAND.GREY,GLACIAL,HARD ,AGE GLACIAL. 0150180300000700400019053
22	1 of 1	N/153.5	130.9	Toronto Transit Commission Wynford Drive and Wynford Heights Toronto ON	SPL
Ref No:	2760-8EDSCW			Site Address:	Wynford Drive and Wynford Heights
Contaminant Name:	Ethylene glycol			Site Conc:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Contaminant Code: Contaminant Limit 1: Contam. Limit Freq 1: Contaminant UN No 1: Contaminant Qty: MOE Reported Dt: Health/Env Conseq: Incident Dt: Incident Cause: Incident Event: Incident Reason: Incident Summary:	n/a 40 L 2/24/2011 2/24/2011 TTC: 40L antifreeze to road and CB			Site Lot: Site County/District: Site Municipality: Site Postal Code: Sector Type: Source Type: Receiving Medium: Receiving Env: Environment Impact: Nature of Impact: SAC Action Class:	 Toronto Motor Vehicle Confirmed Other Impact(s); Soil Contamination; Surface Water Pollution Watercourse Spills

23	1 of 1	E/158.1	129.1	ON	BORE
Borehole ID: Use: Drill Method:: Easting:: Location Accuracy:: Elev. Reliability Note:: Total Depth m:: Township:: Lot:: Completion Date:: Primary Water Use::	635405 Geotechnical/Geological Investigation Digging 634845 1.1 MAY-1967 Not Used			Type: Status:: UTM Zone:: Northing:: Orig. Ground Elev m:: DEM Ground Elev m:: Primary Name:: Concession:: Municipality: Static Water Level:: Sec. Water Use::	Borehole 17 4842743 129 124 -999.9
--Details--					
Stratum ID: Bottom Depth(m):	218473095 0.2			Top Depth(m): Stratum Desc:	0.0 SOIL,SAND,SILT, ORGANIC. BROWN,AGE POST-GLACIAL.
Stratum ID: Bottom Depth(m):	218473096 0.5			Top Depth(m): Stratum Desc:	0.2 SAND,SILT,CLAY. BROWN,FLUVIO-GLACIAL,LOOSE, AGE GLACIAL.
Stratum ID: Bottom Depth(m):	218473097 1.1			Top Depth(m): Stratum Desc:	0.5 TILL,SILT,CLAY. BROWN,GLACIAL,HARD, AGE GLACIAL.

24	1 of 1	NW/160.5	130.5	1300361 Ontario Inc. 123 Wynford Drive Toronto ON M3C 1K1	GEN
Generator No.: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON7375937 03,04 			PO Box No.: Country: Choice of Contact: Co Admin: Phone No. Admin:	

25	1 of 1	W/161.0	132.5	TORONTO (NORTH YORK) ON	WWIS
Well ID: Construction Date: Primary Water Use:	6929542 Not Used			Data Entry Status: Data Src: Date Received:	 11/1/2005

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	3
Audit No:	Z07634			Owner:	
Tag:	A007481			Street Name:	150 WYNFORD DR
Construction Method:				County:	YORK
Elevation (m):				Municipality:	NORTH YORK BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole ID:	11328511	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:	o	UTMRC:	4
Code OB Desc:	Overburden	UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:		Location Method:	wwr
Elevation:	133.975173	Org CS:	UTM83
Elevrc:		Date Completed:	2/19/2004
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Formation ID:	933039497
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	01
Other Materials:	FILL
Formation Top Depth:	0.00
Formation End Depth:	0.30
Formation End Depth UOM:	m

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933280341			
Layer:		1			
Plug From:		0.00			
Plug To:		0.15			
Plug Depth UOM:		m			
Plug ID:		933280339			
Layer:		2			
Plug From:		0.15			
Plug To:		1.05			
Plug Depth UOM:		m			
Plug ID:		933280340			
Layer:		3			
Plug From:		1.05			
Plug To:		4.30			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966929542			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11343366			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930873510			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.00			
Depth To:		1.20			
Casing Diameter:		5.00			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933415388			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.20			
Screen End Depth:		4.30			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.40			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Water Details</u>					
Water ID:		934067080			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		1.20			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11549615			
Diameter:		15.00			
Depth From:		0.00			
Depth To:		4.30			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
26	1 of 1	ESE/166.0	122.5	ON	WWIS
Well ID:	7172540			Data Entry Status:	Date Entry is incomplete
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	11/29/2011
Sec. Water Use:				Selected Flag:	1
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6032
Casing Material:				Form Version:	5
Audit No:	M01959			Owner:	
Tag:	A106915			Street Name:	
Construction Method:				County:	YORK
Elevation (m):				Municipality:	NORTH YORK BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003614160			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:				UTMRC:	3
Code OB Desc:				UTMRC Desc:	margin of error : 10 - 30 m
Open Hole:				Location Method:	wwr
Elevation:	127.626739			Org CS:	UTM83
Elevrc:				Date Completed:	10/14/2011
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
27	1 of 1	ESE/166.4	119.8	187 Winford Drive Toronto ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Ref No:	1465-AHMMPT			Site Address:	187 Winford Drive
Contaminant Name:	SEWAGE,RAW UNCHLORINATED			Site Conc:	
Contaminant Code:	44			Site Lot:	
Contaminant Limit 1:				Site County/District:	
Contam. Limit Freq 1:				Site Municipality:	Toronto
Contaminant UN No 1:				Site Postal Code:	
Contaminant Qty:	32 m³			Sector Type:	Municipal Sewage
MOE Reported Dt:	1/15/2017			Source Type:	
Health/Env Conseq:				Receiving Medium:	
Incident Dt:	1/14/2017			Receiving Env:	Land
Incident Cause:				Environment Impact:	
Incident Event:	Overflow/Surcharge			Nature of Impact:	
Incident Reason:	Blockage			SAC Action Class:	Land Spills
Incident Summary:	Toronto Water: ~32 m3 Raw sewage to blvd/grass; contd & clng				

28	1 of 1	N/172.8	131.4	Serafina Estates Inc. 133 WYNFORD DR, TORONTO, ON, M3C 1K1, ON M3C 0J5	RSC
Reg No:	21909			Cert Date:	7-May-07
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Commercial			Nm of Qual. Person:	Jeffrey Streisfield
District Office:	TORONTO			Stratified (Y/N):	
Date Submitted:	24-May-07			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	11 to 20 meters
Restoration Type:				Telephone:	416-6615329
Soil Type:				Fax:	416-6690443
Criteria:				Email:	
Asmt Roll No:					
Prop. ID No:	10133-0093 (LT)				
CPU Issued Sect 1686:	No				
Property Municipal Address:	133 WYNFORD DR, TORONTO, ON, M3C 1K1,				
Mailing Address:	8700 DUFFERIN ST, CONCORD, ON, L4K 4S6				
Latitude & Longitude:	43.72638890N 79.32833330W				
UTM Coordinates:	NAD83 17-634640-4842842 (converted from Latitude & Longitude)				
Consultant:					
Filing Owner:					
Legal Desc:	PART OF BLK A ON PLAN 66M1158 DESIGNATED AS PARTS 1, 2, 6, 7 & 8 ON PLAN 66R-22655; S/T EASEMENT OVER PART 6 ON PLAN 66R22655 AS IN A217167; S/T EASEMENT OVER PART 7 ON PLAN 66R22655 AS IN AT1358239; TWP OF YORK/NORTH YORK.; CITY OF TORONTO				
Measurement Method:	Digitized from a map				
Applicable Standards:	Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Residential/Parkland/Institutional property use				
RSC PDF:					

29	1 of 1	ENE/175.1	130.8	ON	BORE
Borehole ID:	635404			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634842			Northing::	4842803
Location Accuracy::				Orig. Ground Elev m::	134
Elev. Reliability Note::				DEM Ground Elev m::	133
Total Depth m::	8.2			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	MAY-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
--Details--					
Stratum ID:	218473093			Top Depth(m):	0.0
Bottom Depth(m):	0.2			Stratum Desc:	SOIL,SAND,ORGANIC. BROWN,AGE POST-GLACIAL.
Stratum ID:	218473094			Top Depth(m):	0.2
Bottom Depth(m):	8.2			Stratum Desc:	TILL,SILT,CLAY. BROWN,GLACIAL,HARD,AGE GLACIAL. 015 00006037I

30	1 of 1	N/181.8	131.8	TORONTO ON	WWIS
Well ID:	7041454			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	3/5/2007
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	3
Audit No:	Z64023			Owner:	
Tag:				Street Name:	150 WYNFORD DR
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	11763950			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	—			UTMRC:	3
Code OB Desc:	No formation data			UTMRC Desc:	margin of error : 10 - 30 m
Open Hole:				Location Method:	wwr
Elevation:	132.074157			Org CS:	UTM83
Elevrc:				Date Completed:	1/17/2007
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933315184				
Layer:	1				
Plug From:	0.00				
Plug To:	3.38				
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Use</u>					
Method Construction ID:		967041454			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11771430			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930896653			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.00			
Depth To:		3.38			
Casing Diameter:		3.20			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		11777515			
Pump Set At:					
Static Level:		1.21			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>31</u>	1 of 1	ENE/188.5	130.8	ON	BORE
Borehole ID:	635406			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634872			Northing::	4842763
Location Accuracy::				Orig. Ground Elev m::	125
Elev. Reliability Note::				DEM Ground Elev m::	129
Total Depth m::	.9			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	MAY-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473098			Top Depth(m):	0.0

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Bottom Depth(m):	0.2			Stratum Desc:	SOIL,SAND,SILT. BROWN,AGE POST-GLACIAL.
Stratum ID:	218473099			Top Depth(m):	0.2
Bottom Depth(m):	0.6			Stratum Desc:	SAND,SILT,CLAY. BROWN,FLUVIO-GLACIAL, AGE GLACIAL.
Stratum ID:	218473100			Top Depth(m):	0.6
Bottom Depth(m):	0.9			Stratum Desc:	TILL,SILT,CLAY. BROWN,GLACIAL,AGE GLACIAL. RD, AGE GLACIAL
32	1 of 1	ENE/191.4	131.7	ON	BORE
Borehole ID:	635403			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634865			Northing::	4842793
Location Accuracy::				Orig. Ground Elev m::	133
Elev. Reliability Note::				DEM Ground Elev m::	132
Total Depth m::	12.8			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	MAY-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473090			Top Depth(m):	0.0
Bottom Depth(m):	0.2			Stratum Desc:	SOIL,SAND,ORGANIC. BROWN,AGE POST-GLACIAL.
Stratum ID:	218473091			Top Depth(m):	0.2
Bottom Depth(m):	0.6			Stratum Desc:	SAND,SILT,GRAVEL, ORGANIC. BROWN,FLUVIO-GLACIAL,LOOSE, AGE GLACIAL.
Stratum ID:	218473092			Top Depth(m):	0.6
Bottom Depth(m):	12.8			Stratum Desc:	TILL,SILT,CLAY,SAND.GREY,GLACIAL,HARD ,AGE GLACIAL. 012 0000700500020037
33	1 of 1	N/194.7	131.8	TORONTO ON	WWIS
Well ID:	7041453			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	3/5/2007
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	3
Audit No:	Z64024			Owner:	
Tag:				Street Name:	150 WYNFORD DR
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	11763949			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	—			UTMRC:	3
Code OB Desc:	No formation data			UTMRC Desc:	margin of error : 10 - 30 m
Open Hole:				Location Method:	wwr
Elevation:	132.319168			Org CS:	UTM83
Elevrc:				Date Completed:	1/17/2007
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	933315183				
Layer:	1				
Plug From:	0.00				
Plug To:	2.13				
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	967041453				
Method Construction Code:	B				
Method Construction:	Other Method				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11771429				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930896652				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0.00				
Depth To:	2.13				
Casing Diameter:	3.20				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	11777514				
Pump Set At:					
Static Level:	0.79				
Final Level After Pumping:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<div>Recommended Pump Depth:</div> <div>Pumping Rate:</div> <div>Flowing Rate:</div> <div>Recommended Pump Rate:</div> <div>Levels UOM: m</div> <div>Rate UOM: LPM</div> <div>Water State After Test Code:</div> <div>Water State After Test:</div> <div>Pumping Test Method:</div> <div>Pumping Duration HR:</div> <div>Pumping Duration MIN:</div> <div>Flowing:</div>					
34	1 of 1	ESE/200.8	119.7	ON	BORE
<div>Borehole ID: 635392</div> <div>Use: Geotechnical/Geological Investigation</div> <div>Drill Method:: Power auger</div> <div>Easting:: 634875</div> <div>Location Accuracy::</div> <div>Elev. Reliability Note::</div> <div>Total Depth m:: 18.6</div> <div>Township::</div> <div>Lot::</div> <div>Completion Date:: JUL-1966</div> <div>Primary Water Use:: Not Used</div>		<div>Type: Borehole</div> <div>Status::</div> <div>UTM Zone:: 17</div> <div>Northing:: 4842643</div> <div>Orig. Ground Elev m:: 124</div> <div>DEM Ground Elev m:: 121</div> <div>Primary Name::</div> <div>Concession::</div> <div>Municipality:</div> <div>Static Water Level:: 1.4</div> <div>Sec. Water Use::</div>			
<div>--Details--</div>					
<div>Stratum ID: 218473068</div> <div>Bottom Depth(m): 12.8</div>		<div>Top Depth(m): 0.0</div> <div>Stratum Desc: FILL,SILT,CLAY, GRAVEL. GREY,BROWN,COMPACT.</div>			
<div>Stratum ID: 218473069</div> <div>Bottom Depth(m): 18.6</div>		<div>Top Depth(m): 12.8</div> <div>Stratum Desc: TILL,SILT,CLAY. GREY,GLACIAL,HARD,AGE GLACIAL,WATER STABLE AT 402.2 FEET.000000170041904100034</div>			
35	1 of 1	NNE/201.9	131.8	TORONTO ON	WWIS
<div>Well ID: 7041440</div> <div>Construction Date:</div> <div>Primary Water Use: Not Used</div> <div>Sec. Water Use:</div> <div>Final Well Status: Abandoned-Other</div> <div>Water Type:</div> <div>Casing Material:</div> <div>Audit No: Z64025</div> <div>Tag:</div> <div>Construction Method:</div> <div>Elevation (m):</div> <div>Elevation Reliability:</div> <div>Depth to Bedrock:</div> <div>Well Depth:</div> <div>Overburden/Bedrock:</div> <div>Pump Rate:</div> <div>Static Water Level:</div> <div>Flowing (Y/N):</div> <div>Flow Rate:</div> <div>Clear/Cloudy:</div>		<div>Data Entry Status:</div> <div>Data Src:</div> <div>Date Received: 3/5/2007</div> <div>Selected Flag: 1</div> <div>Abandonment Rec: Yes</div> <div>Contractor: 1663</div> <div>Form Version: 3</div> <div>Owner:</div> <div>Street Name: 150 WYNFORD DR</div> <div>County: YORK</div> <div>Municipality: TORONTO CITY</div> <div>Site Info:</div> <div>Lot:</div> <div>Concession:</div> <div>Concession Name:</div> <div>Easting NAD83:</div> <div>Northing NAD83:</div> <div>Zone:</div> <div>UTM Reliability:</div>			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	11763936			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	—			UTMRC:	3
Code OB Desc:	No formation data			UTMRC Desc:	margin of error : 10 - 30 m
Open Hole:				Location Method:	wwr
Elevation:	132.353561			Org CS:	UTM83
Elevrc:				Date Completed:	1/17/2007
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933315168				
Layer:	1				
Plug From:	0.00				
Plug To:	4.26				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	967041440				
Method Construction Code:	B				
Method Construction:	Other Method				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11771416				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930896630				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0.00				
Depth To:	4.26				
Casing Diameter:	5.00				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	11777503				
Pump Set At:					
Static Level:	0.91				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
		m LPM			
36	1 of 1	NE/202.3	129.8	ON	BORE
Borehole ID:	640079			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Digging			UTM Zone::	17
Easting::	634830			Northing::	4842863
Location Accuracy::				Orig. Ground Elev m::	125
Elev. Reliability Note::				DEM Ground Elev m::	134
Total Depth m::	1.1			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	MAY-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218490879			Top Depth(m):	0.0
Bottom Depth(m):	0.2			Stratum Desc:	SOIL,SAND,SILT. BROWN.
Stratum ID:	218490880			Top Depth(m):	0.2
Bottom Depth(m):	0.5			Stratum Desc:	SAND,SILT,CLAY. BROWN,FLUVIO-GLACIAL,LOOSE, AGE GLACIAL.
Stratum ID:	218490881			Top Depth(m):	0.5
Bottom Depth(m):	1.1			Stratum Desc:	TILL,SILT,CLAY. BROWN,GLACIAL,HARD, AGE GLACIAL.
37	1 of 1	ESE/213.8	119.7	ON	BORE
Borehole ID:	635393			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634875			Northing::	4842613
Location Accuracy::				Orig. Ground Elev m::	124
Elev. Reliability Note::				DEM Ground Elev m::	123
Total Depth m::	15.2			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1966			Static Water Level::	.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473070			Top Depth(m):	0.0
Bottom Depth(m):	3.7			Stratum Desc:	FILL,SILT,SAND,CLAY.COMPACT.
Stratum ID:	218473071			Top Depth(m):	3.7
Bottom Depth(m):	15.2			Stratum Desc:	TILL,SILT,GRAVEL. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 405.0 FEET.0000001600120

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
38	1 of 1	N/214.3	132.2	TORONTO ON	WWIS
<div> <div> Well ID: 7041458 Construction Date: Primary Water Use: Not Used Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z64019 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 3/5/2007 Selected Flag: 1 Abandonment Rec: Yes Contractor: 1663 Form Version: 3 Owner: Street Name: 150 WYNFORD DR County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 11763954 DP2BR: Code OB: — Code OB Desc: No formation data Open Hole: Elevation: 132.869934 Elevrc: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Spatial Status: Cluster Kind: UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr Org CS: UTM83 Date Completed: 1/17/2007 </div> </div>					
<u>Annular Space/Abandonment Sealing Record</u>					
<div> <div> Plug ID: 933315189 Layer: 1 Plug From: 0.00 Plug To: 4.26 Plug Depth UOM: m </div> <div> Plug ID: 933315190 Layer: 2 Plug From: 0.00 Plug To: 1.20 Plug Depth UOM: m </div> </div>					
<u>Method of Construction & Well Use</u>					
<div> Method Construction ID: 967041458 Method Construction Code: B Method Construction: Other Method </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11771434			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930896657			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.00			
Depth To:		4.26			
Casing Diameter:		5.00			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		11777519			
Pump Set At:					
Static Level:		0.97			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<hr/>					
<u>39</u>	1 of 1	NE/214.6	129.9	ON	BORE
Borehole ID:	640076			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634820			Northing::	4842888
Location Accuracy::				Orig. Ground Elev m::	133
Elev. Reliability Note::				DEM Ground Elev m::	134
Total Depth m::	12.8			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	MAY-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
<u>--Details--</u>					
Stratum ID:	218490871			Top Depth(m):	0.0
Bottom Depth(m):	0.2			Stratum Desc:	SOIL,SAND. BROWN.
Stratum ID:	218490872			Top Depth(m):	0.2
Bottom Depth(m):	0.6			Stratum Desc:	SAND,SILT,ORGANIC. BROWN,FLUVIO-GLACIAL,LOOSE, AGE GLACIAL.

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<hr/>					
Stratum ID:	218490873			Top Depth(m):	0.6
Bottom Depth(m):	12.8			Stratum Desc:	TILL,SILT(40), CLAY(32),GRAVEL. BROWN,GREY,GLACIAL,HARD, AGE GLACIAL. 0150170300000700400019
<hr/>					
40	1 of 1	NE/215.8	129.9	ON	BORE
Borehole ID:	650935			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Jetting			UTM Zone::	17
Easting::	634865			Northing::	4842843
Location Accuracy::				Orig. Ground Elev m::	134
Elev. Reliability Note::				DEM Ground Elev m::	134
Total Depth m::	18.7			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	DEC-1965			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
<hr/>					
--Details--					
Stratum ID:	218531515			Top Depth(m):	0.0
Bottom Depth(m):	2.7			Stratum Desc:	TILL,SILT,SOIL,SAND,BROWN,VERY DENSE, AGE QUATERNARY.
Stratum ID:	218531516			Top Depth(m):	2.7
Bottom Depth(m):	10.0			Stratum Desc:	TILL,CLAY,SILT. GREY,HARD,LAYERED, AGE QUATERNARY.
Stratum ID:	218531517			Top Depth(m):	10.0
Bottom Depth(m):	16.1			Stratum Desc:	TILL,SILT,CLAY, GRAVEL. GREY,VERY DENSE,SEAMS, AGE QUATERNARY.
Stratum ID:	218531518			Top Depth(m):	16.1
Bottom Depth(m):	18.7			Stratum Desc:	TILL,CLAY,SILT, GRAVEL. GREY,HARD,AGE QUATERNARY. 010 015 010
<hr/>					
41	1 of 1	N/217.9	132.2	TORONTO ON	WWIS
Well ID:	7041457			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	3/5/2007
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	3
Audit No:	Z64020			Owner:	
Tag:				Street Name:	150 WYNFORD DR
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	11763953			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	—			UTMRC:	3
Code OB Desc:	No formation data			UTMRC Desc:	margin of error : 10 - 30 m
Open Hole:				Location Method:	wwr
Elevation:	132.868515			Org CS:	UTM83
Elevrc:				Date Completed:	1/17/2007
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	933315188				
Layer:	1				
Plug From:	0.00				
Plug To:	5.18				
Plug Depth UOM:	m				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	967041457				
Method Construction Code:	B				
Method Construction:	Other Method				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11771433				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930896656				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0.00				
Depth To:	5.18				
Casing Diameter:	5.00				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	11777518				
Pump Set At:					
Static Level:	0.92				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Flowing Rate: Recommended Pump Rate: Levels UOM: m Rate UOM: LPM Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
42	1 of 1	ESE/218.0	120.2	TORONTO TRANSIT COMMISSION EGLINGTON AVE EAST AT WYNFORD. TORONTO CITY ON	SPL
Ref No: 81145 Contaminant Name: Contaminant Code: Contaminant Limit 1: Contam. Limit Freq 1: Contaminant UN No 1: Contaminant Qty: MOE Reported Dt: 1/22/1993 Health/Env Conseq: Incident Dt: 1/22/1993 Incident Cause: PIPE/HOSE LEAK Incident Event: Incident Reason: EQUIPMENT FAILURE Incident Summary: TTC BUS-20 L ANTI-FREEZE TO ROADWAY & STORM SEWER,WORKS ENROUTE.		Site Address: Site Conc: Site Lot: Site County/District: Site Municipality: 01106 Site Postal Code: Sector Type: Source Type: Receiving Medium: LAND / WATER Receiving Env: Environment Impact: NOT ANTICIPATED Nature of Impact: SAC Action Class:			
43	1 of 2	ESE/219.3	120.2	NORTH YORK CITY WYNFORD DR./EGLINTON AVE. NORTH YORK CITY ON	CA
Certificate #: 3-0210-97- Application Year: 97 Issue Date: 3/11/1997 Approval Type: Municipal sewage Status: Approved Application Type: Client Name:: Client Address:: Client City:: Client Postal Code:: Project Description:: Contaminants:: Emission Control::					
43	2 of 2	ESE/219.3	120.2	PRIVATE OWNER WINFORD DRIVE S/B AT EGLINTON. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SPL
Ref No: 142126 Contaminant Name: Contaminant Code: Contaminant Limit 1: Contam. Limit Freq 1: Contaminant UN No 1: Contaminant Qty:		Site Address: Site Conc: Site Lot: Site County/District: Site Municipality: 01106 Site Postal Code: Sector Type:			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
MOE Reported Dt: 6/16/1997 Health/Env Conseq: Incident Dt: 6/16/1997 Incident Cause: OTHER TRANSPORTATION ACCIDENT Incident Event: Incident Reason: DAMAGE BY MOVING EQUIPMENT Incident Summary: POSTAL TRUCK - ENGINE COOLANT TO C/B WHEN IT REAR ENDED A TTC BUS.					
Source Type: Receiving Medium: LAND Receiving Env: Environment Impact: POSSIBLE Nature of Impact: Water course or lake SAC Action Class:					
44	1 of 2	ESE/221.4	120.2	CTSC Eglinton and Wynford Toronto ON M3C 3S2	GEN
Generator No.: ON7380837 Status: Approval Years: 2016 Contam. Facility: No MHSW Facility: No SIC Code: 237990 SIC Description: OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION					
PO Box No.: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Ryan Jones Phone No. Admin: 416-679-6116 Ext.					
--Details--					
Waste Code: 252 Waste Description: WASTE OILS & LUBRICANTS					
44	2 of 2	ESE/221.4	120.2	CTSC Eglinton and Wynford Toronto ON M3C 3S2	GEN
Generator No.: ON7380837 Status: Registered Approval Years: As of Jun 2017 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No.: Country: Canada Choice of Contact: Co Admin: Phone No. Admin:					
--Details--					
Waste Code: 252 L Waste Description: Waste crankcase oils and lubricants					
45	1 of 1	ESE/227.1	120.7	ON	BORE
Borehole ID: 635394 Use: Geotechnical/Geological Investigation Drill Method:: Power auger Easting:: 634895 Location Accuracy:: Elev. Reliability Note:: Total Depth m:: 15.3 Township:: Lot:: Completion Date:: JUL-1966 Primary Water Use:: Not Used					
Type: Borehole Status:: UTM Zone:: 17 Northing:: 4842623 Orig. Ground Elev m:: 123 DEM Ground Elev m:: 123 Primary Name:: Concession:: Municipality: Static Water Level:: 1.3 Sec. Water Use::					
--Details--					
Stratum ID: 218473072 Top Depth(m): 0.0					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Bottom Depth(m):	11.9			Stratum Desc:	FILL,TILL,SILT,SAND.COMPACT.
Stratum ID:	218473073			Top Depth(m):	11.9
Bottom Depth(m):	15.3			Stratum Desc:	TILL,SILT,CLAY, GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 401.8 FEET.0000002300392
46	1 of 1	N/228.4	133.2	TORONTO TRANSIT COMMISSION CORNER OF CONCORD GATE AND WYNFORD DRIVE. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SPL
Ref No:	149193			Site Address:	
Contaminant Name:				Site Conc:	
Contaminant Code:				Site Lot:	
Contaminant Limit 1:				Site County/District:	
Contam. Limit Freq 1:				Site Municipality:	01106
Contaminant UN No 1:				Site Postal Code:	
Contaminant Qty:				Sector Type:	
MOE Reported Dt:	11/13/1997			Source Type:	
Health/Env Conseq:				Receiving Medium:	LAND / WATER
Incident Dt:	11/13/1997			Receiving Env:	
Incident Cause:	PIPE/HOSE LEAK			Environment Impact:	POSSIBLE
Incident Event:				Nature of Impact:	Water course or lake
Incident Reason:	EQUIPMENT FAILURE			SAC Action Class:	
Incident Summary:	T.T.C.-UKN QUANTITY ANTI-FREEZE TO ROAD & CB,CLEAN-UP CREW ENROUTE.				
47	1 of 1	N/229.0	132.7	TORONTO ON	WWIS
Well ID:	7041455			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	3/5/2007
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1663
Casing Material:				Form Version:	3
Audit No:	Z64022			Owner:	
Tag:				Street Name:	150 WYNFORD DR
Construction Method:				County:	YORK
Elevation (m):				Municipality:	TORONTO CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	11763951			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	—			UTMRC:	3
Code OB Desc:	No formation data			UTMRC Desc:	margin of error : 10 - 30 m
Open Hole:				Location Method:	wwr
Elevation:	133.022735			Org CS:	UTM83
Elevrc:				Date Completed:	1/17/2007

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933315185			
Layer:		1			
Plug From:		0.00			
Plug To:		5.91			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		967041455			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11771431			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930896654			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.00			
Depth To:		5.91			
Casing Diameter:		5.00			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		11777516			
Pump Set At:					
Static Level:		1.00			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
48	1 of 1	E/230.5	131.9	ON	BORE
Borehole ID:	650932			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634915			Northing::	4842763
Location Accuracy::				Orig. Ground Elev m::	131
Elev. Reliability Note::				DEM Ground Elev m::	131
Total Depth m::	12.8			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	FEB-1967			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531506			Top Depth(m):	0.0
Bottom Depth(m):	3.7			Stratum Desc:	TILL,SILT,SOIL,CLAY.BROWN,AGE QUATERNARY.
Stratum ID:	218531507			Top Depth(m):	3.7
Bottom Depth(m):	7.6			Stratum Desc:	SAND-FINE TO MEDIUM,GRAVEL,SILT,CLAY. GREY,ALLUVIAL,DENSE,LAYERED, AGE QUATERNARY.
Stratum ID:	218531508			Top Depth(m):	7.6
Bottom Depth(m):	12.8			Stratum Desc:	TILL,SILT,SAND, GRAVEL. GREY,STIFF,AGE QUATERNARY. 012 012 0012003000250050
49	1 of 1	NNE/230.7	131.4	ON	BORE
Borehole ID:	650939			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634795			Northing::	4842923
Location Accuracy::				Orig. Ground Elev m::	134
Elev. Reliability Note::				DEM Ground Elev m::	133
Total Depth m::	18.7			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	DEC-1965			Static Water Level::	0
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218531524			Top Depth(m):	0.0
Bottom Depth(m):	3.7			Stratum Desc:	SAND,SILT,CLAY. BROWN,VERY DENSE,LAYERED, AGE QUATERNARY, WATER STABLE AT 440.2 FEET.
Stratum ID:	218531525			Top Depth(m):	3.7
Bottom Depth(m):	8.0			Stratum Desc:	TILL,CLAY,SILT, GRAVEL. GREY,STIFF,SEAMS, AGE QUATERNARY.
Stratum ID:	218531526			Top Depth(m):	8.0
Bottom Depth(m):	14.4			Stratum Desc:	TILL,SILT,SAND,CLAY.GREY,VERY DENSE, AGE QUATERNARY.
Stratum ID:	218531527			Top Depth(m):	14.4

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Bottom Depth(m):	18.7			Stratum Desc:	TILL,CLAY,SILT,SANDMEDIUM. GREY,HARD,SEAMS, AGE QUATERNARY. 012 012 01
50	1 of 20	NNE/235.0	132.3	150 Wynford Dr North York ON M3C 1K6	EHS
Postal Code: City: Address2: Address1: Provstate: Order No.: 20040210008 Addit. Info Ordered:: Report Date: 2/18/04 Report Type: Complete Report Search Radius (km): 0.25					
50	2 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON M3C 1K6	EXP
Instance No: 9813391 Instance ID: Instance Type: FS Facility Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 9/7/2002					
50	3 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON M3C 1K6	EXP
Instance No: 10731572 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 9/7/2002					
50	4 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON M3C 1K6	EXP
Instance No: 11178875 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 9/7/2002					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
50	5 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON M3C 1K6	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11178916 FS Liquid Fuel Tank EXPIRED 9/7/2002			
50	6 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11178896 71992 FS Piping FS Piping EXPIRED 			
50	7 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11178853 72112 FS Piping FS Piping EXPIRED 			
50	8 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11178938 72329 FS Piping FS Piping EXPIRED 			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
50	9 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON M3C 1K6	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		10731572 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 9/7/2002			
50	10 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON M3C 1K6	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11178875 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 9/7/2002			
50	11 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON M3C 1K6	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11178916 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 9/7/2002			
50	12 of 20	NNE/235.0	132.3	494979 Ontario Limited 150 Wynford Drive Toronto ON M3C 1K6	GEN
Generator No.: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON9948063 04 447110 Gasoline Stations with Convenience Stores PO Box No.: Country: Choice of Contact: Co Admin: Phone No. Admin:			
50	13 of 20	NNE/235.0	132.3	WYNFORD HEIGHTS SHELL 150 WYNFORD DR DON MILLS ON	PRT
Location ID:		3867			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Type: retail Expiry Date: 1995-09-30 Capacity (L): 71830 Licence #: 0055453001					
50	14 of 20	NNE/235.0	132.3	150 Wynford Dr North York ON M3C 1K6	RSC
Reg No: RA No: RSC Type: Curr Property Use: District Office: Toronto Date Submitted: 04/17/00 Date Ack: Date Returned: 04/28/00 Restoration Type: Soil Type: Criteria: Asmt Roll No: Prop. ID No: CPU Issued Sect 1686: Property Municipal Address: Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: PMG Planning Consultants, Candec Consulting Ltd. Filing Owner: Legal Desc: Measurement Method: Applicable Standards: RSC PDF:					
50	15 of 20	NNE/235.0	132.3	150 Wynford Dr. Toronto ON M3C 1K6	RSC
Reg No: RA No: RSC Type: Curr Property Use: District Office: Toronto Date Submitted: 05/15/00 Date Ack: Date Returned: 05/23/00 Restoration Type: Soil Type: Criteria: Asmt Roll No: Prop. ID No: CPU Issued Sect 1686: Property Municipal Address: Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: PMG Planning Consultants, Candec Consulting Ltd. Filing Owner: Legal Desc: Measurement Method: Applicable Standards: RSC PDF:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
50	16 of 20	NNE/235.0	132.3	150 Wynford Dr Toronto ON M3C 1K6	RSC
<div> <div> Reg No: RA No: RSC Type: Curr Property Use: District Office: Toronto Date Submitted: 05/15/00 Date Ack: Date Returned: 05/23/00 Restoration Type: Soil Type: Criteria: Asmt Roll No: Prop. ID No: CPU Issued Sect 1686: Property Municipal Address: Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: PMG Planning Consultants, Candec Consulting Ltd. Filing Owner: Legal Desc: Measurement Method: Applicable Standards: RSC PDF: </div> <div> Cert Date: Cert Prop Use No: Intended Prop Use: Nm of Qual. Person: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email: </div> </div>					
50	17 of 20	NNE/235.0	132.3	494979 Ontario Limited 150 WYNFORD DR, NORTH YORK, ON, M3C 1K6 North York ON M3C 1K6	RSC
<div> <div> Reg No: 1535 RA No: RSC Type: Curr Property Use: Commercial District Office: TORONTO Date Submitted: 14-Mar-05 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: Asmt Roll No: 1.4081E+14 Prop. ID No: 10133-0035 (T) CPU Issued Sect 1686: No Property Municipal Address: 150 WYNFORD DR, NORTH YORK, ON, M3C 1K6 Mailing Address: 2041 AVENUE RD, TORONTO, ON, M5M 4A5 Latitude & Latitude: 43.72419970N 79.32764490W (converted from UTM) UTM Coordinates: NAD83 17-634700-4842600 Consultant: Filing Owner: Legal Desc: Parcel A-3, Section M-1176, City of North York, Municipality of Metropolitan Toronto, being Part of Block A, Plan M-1176, designated as Parts 1 and 2 on Plan 66R-3325. Subject to easement in favour of The Corporation of the City of North York (formerly township of North York) over said Part 1, Plan R-3325 for the purposes set out in A-204427 as amended under A-217303. Measurement Method: Interpolation from a map Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Industrial/Commercial/Community property use RSC PDF: </div> <div> Cert Date: 7-Mar-05 Cert Prop Use No: No CPU Intended Prop Use: Commercial Nm of Qual. Person: Richard Ochshorn Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Yes Accuracy Estimate: 21 to 100 meters Telephone: 416-4877007 Fax: 416-4877020 Email: rochshorn@halmaxx.com </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
50	18 of 20	NNE/235.0	132.3	494979 Ontario Limited 150 WYNFORD DR, NORTH YORK, ON, M3C 1K6 North York ON M3C 1K6	RSC
<div> <div> Reg No: 1124 RA No: RSC Type: Curr Property Use: Commercial District Office: TORONTO Date Submitted: 30-Nov-04 Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: Asmt Roll No: 1.4081E+14 Prop. ID No: 10133-0035 (T) CPU Issued Sect 1686: No Property Municipal Address: 150 WYNFORD DR, NORTH YORK, ON, M3C 1K6 Mailing Address: 2041 AVENUE RD, TORONTO, ON, M5M 4A5 Latitude & Longitude: 43.72419970N 79.32764490W (converted from UTM) UTM Coordinates: NAD83 17-634700-4842600 Consultant: Filing Owner: Legal Desc: Parcel A-3, Section M-1176, City of North York, Municipality of Metropolitan Toronto, being Part of Block A, Plan M-1176, designated as Parts 1 and 2 on Plan 66R-3325. Subject to easement in favour of The Corporation of the City of North York (formerly township of North York) over said Part 1, Plan R-3325 for the purposes set out in A-204427 as amended under A-217303. Measurement Method: Interpolation from a map Applicable Standards: Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Industrial/Commercial/Community property use RSC PDF: </div> <div> Cert Date: 23-Nov-04 Cert Prop Use No: No CPU Intended Prop Use: Commercial Nm of Qual. Person: Richard Ochshorn Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Yes Accuracy Estimate: 21 to 100 meters Telephone: 416-4877007 Fax: 416-4877020 Email: rochshorn@halmaxx.com </div> </div>					
50	19 of 20	NNE/235.0	132.3	WYNFORD SHELL 150 WYNFORD DR NORTH YORK ON M3C1K6	RST
<div> Code: 1186800 Facility: Service Stations-Gasoline, Oil & Natural Gas Description: List Name: </div>					
50	20 of 20	NNE/235.0	132.3	Bay Communications & Marketing 150 Wynford Dr Suite 211 Toronto ON M3C 1K6	SCT
<div> Established: 01-AUG-93 Plant Size (ft²): Employment: --Details-- Description: Directory and Mailing List Publishers SIC/NAICS Code: 511140 Description: Periodical Publishers SIC/NAICS Code: 511120 Description: Internet Publishing and Broadcasting and Web Search Portals SIC/NAICS Code: 519130 Description: Periodical Publishers SIC/NAICS Code: 511120 </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
51	1 of 1	N/235.4	133.2	TORONTO ON	WWIS
<div> <div> Well ID: 7041456 Construction Date: Primary Water Use: Not Used Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z64021 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Data Src: Date Received: 3/5/2007 Selected Flag: 1 Abandonment Rec: Yes Contractor: 1663 Form Version: 3 Owner: Street Name: 150 WYNFORD DR County: YORK Municipality: TORONTO CITY Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 11763952 DP2BR: Code OB: — Code OB Desc: No formation data Open Hole: Elevation: 133.203353 Elevrc: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Spatial Status: Cluster Kind: UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr Org CS: UTM83 Date Completed: 1/17/2007 </div> </div>					
<u>Annular Space/Abandonment Sealing Record</u>					
<div> <div> Plug ID: 933315186 Layer: 1 Plug From: 0.00 Plug To: 3.65 Plug Depth UOM: m </div> <div> Plug ID: 933315187 Layer: 2 Plug From: 0.00 Plug To: 0.60 Plug Depth UOM: m </div> </div>					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 967041456					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method Construction Code: Method Construction: Other Method Construction:		B Other Method			
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:		11771432 1			
<u>Construction Record - Casing</u>					
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:		930896655 1			
<u>Results of Well Yield Testing</u>					
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		11777517 1.21 m LPM			
52	1 of 1	NE/237.6	128.7	ON	BORE
Borehole ID: Use: Drill Method:: Easting:: Location Accuracy:: Elev. Reliability Note:: Total Depth m:: Township:: Lot:: Completion Date:: Primary Water Use::		640080 Geotechnical/Geological Investigation Digging 634860 .9 MAY-1967 Not Used		Type: Status:: UTM Zone:: Northing:: Orig. Ground Elev m:: DEM Ground Elev m:: Primary Name:: Concession:: Municipality: Static Water Level:: Sec. Water Use::	Borehole 17 4842883 126 135 -999.9
<u>--Details--</u>					
Stratum ID: Bottom Depth(m):		218490882 0.2		Top Depth(m): Stratum Desc:	0.0 SOIL,SAND,SILT. BROWN.
Stratum ID:		218490883		Top Depth(m):	0.2

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Bottom Depth(m):	0.6			Stratum Desc:	SAND,SILT,CLAY. BROWN,FLUVIO- GLACIAL, AGE GLACIAL.
Stratum ID:	218490884			Top Depth(m):	0.6
Bottom Depth(m):	0.9			Stratum Desc:	TILL,SILT,CLAY. BROWN,GLACIAL,AGE GLACIAL. GLACIAL
53	1 of 1	SSW/244.9	128.6	ROW Toronto ON	EHS
Postal Code: City: Address2: Address1: Provstate: Order No.: 20140512123 Addit. Info Ordered:: Title Searches Report Date: 16-MAY-14 Report Type: RSC Premium Package (Urban) Search Radius (km): .3					
54	1 of 1	ESE/246.5	119.7	ON	BORE
Borehole ID:	635395			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	634895			Northing::	4842583
Location Accuracy::				Orig. Ground Elev m::	124
Elev. Reliability Note::				DEM Ground Elev m::	120
Total Depth m::	18.6			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1966			Static Water Level::	-999.9
Primary Water Use::	Not Used			Sec. Water Use::	
--Details--					
Stratum ID:	218473074			Top Depth(m):	0.0
Bottom Depth(m):	18.6			Stratum Desc:	TILL,SILT,CLAY, GRAVEL. BROWN,GLACIAL,HARD, AGE GLACIAL. 00000030EN

Unplottable Summary

Total: 119 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Enbridge Gas Distribution Inc.	Martin Grove Road South of Eglinton Avenue West	Toronto ON	
CA	Toronto Transit Commission (TTC)	Eglinton Avenue West Between 2801 and 2855 Eglinton Avenue West	Toronto ON	
CA	TORONTO CITY, YORK CIVIC SERVICE CENTRE	EGLINTON AVE. S.W. DET. TANK	TORONTO CITY ON	
ECA	City of Toronto	Eglinton Ave. East & Bayview Ave.	Toronto ON	M5H 2N2
ECA	Toronto Transit Commission	Eglinton Avenue West at Henning Ave	Toronto ON	M2N 6L8
ECA	City of Toronto	Eglinton Ave Intersection of Eglinton and Bellamy Road North	Toronto ON	M5V 3C6
ECA	City of Toronto	Eglinton Ave W from Bathurst Street to Gilgorm Road and from Avenue Road to Duplex Avenue	Toronto ON	M5V 3V6
ECA	Metrolinx	Eglinton Ave (Between Walder Avenue and Bayview Avenue)	Toronto ON	M2N 7E4
ECA	Metrolinx	Eglinton Avenue East between Brentcliffe Drive & Leslie Street	Toronto ON	M2N 6L9
ECA	Metrolinx	Eglinton Scarborough Crosstown Twin Tunnels	Toronto ON	M2N 6L9
ECA	Metrolinx	Eglinton Ave E	Toronto ON	M2N 6L9
ECA	SNC-Lavalin Constructors (Pacific) Inc., as general partner for and on behalf	of Crosslinx Transit Solutions Constructors Eglinton Avenue Between Duplex Avenue and Holly Street	Toronto ON	M2N 7E4
ECA	Metrolinx	Eglinton Ave W Renforth Drive, Commerce Boulevard, and Matheson Boulevard East	Toronto ON	M5J 2W3
ECA	Metrolinx	Eglinton Ave W from Alameda Ave. to Marlee Ave.	Toronto ON	M2N 6L9
ECA	Metrolinx	Eglinton Ave W Renfoth Dr., Commerce Blvd., Matheson Blvd. E	Toronto ON	M5J 2W3
ECA	Metrolinx	Eglinton Scarborough Crosstown Twin Tunnels	Toronto ON	M2N 6L9
ECA	City of Toronto	Scarlett Road (Edenbridge Dr to N. of Eglinton)	Toronto ON	M9C 2Y2

ECA	Metrolinx	Eglinton Ave W from Oriole Parkway West to West of Eastbourne Avenue	Toronto ON	M2N 6L9
ECA	Metrolinx	Eglinton Ave E and Petman Avenue Intersection	Toronto ON	M2N 7E4
ECA	City of Toronto	From Eglinton Avenue to Lawrence Avenue	Toronto ON	M2N 5V7
ECA	Toronto Transit Commission	Eglinton Scarborough Crosstown Tunnel	Toronto ON	M2N 6L9
ECA	Metrolinx	Eglinton Avenue East between Brentcliffe Drive & Leslie Street	Toronto ON	M2N 6L9
ECA	Metrolinx	Eglinton Ave W from Approx. 16m west of Peveril Hill North to Bathurst Street	Toronto ON	M2N 6L9
ECA	Metrolinx	Intersection of Eglinton Avenue and Holly Street	Toronto ON	M2N 6L9
EHS		Eglinton Ave E Yonge St to Laird Dr	Toronto ON	
EHS		4200, 4300 and 4400 Eglinton Ave W	Toronto ON	
EHS		N of Eglinton Ave W btwn Islington and Wincott	Toronto ON	
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave East and Holly St	Toronto ON	M4P 1G6
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave. East and Petman Ave	Toronto ON	M4P 1M5
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave. East and Petman Ave	Toronto ON	M4P 1M5
GEN	940412 Ontario Ltd	Eglinton Ave West	Toronto ON	M6M 1S9
GEN	METRO TRANSPORTATION	DON VALLEY PARKWAY AT BRIDGE OVER CNBALA SUBDIV./DON RIVER (S. OF GRENOBLE DR.)	TORONTO ON	
GEN	METRO TRANSPORTATION	DON VALLEY PKWY AT BRIDGE OVER CN BALA SUBDIVISION/DON RIVER S. OF GRENOBLE DR.	TORONTO ON	
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave East and Donlea Dr	Toronto ON	M4G 2K4
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave. East and Petman Ave	Toronto ON	M4P 1M5
GEN	Crosslinx Transit Solutions	Eglinton - East of Kennedy Go	Toronto ON	M1K 2R1
GEN	CTS	Birchmount and Eglinton Ave E	Toronto ON	M1K 5L1
GEN	City of Toronto	Wynford Drive Bridge	Toronto ON	M6B4J3
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave East and Sutherland D	Toronto ON	M4G 1K2

GEN	METRO TRANSPORTATION	DON VALLEY PARKWAY AT BRIDGE OVER CNBALA SUBDIV./DON RIVER(S. OF GRENOBLE DR.	TORONTO ON	
GEN	HERTZ CANADA (OUT OF BUSINESS) 19-548	SILVER DART DRIVE,TORONTO AMF C/O 5403 EGLINTON AVENUE WEST	ETOBICOKE ON	M9C 5K6
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave East and Donlea Dr	Toronto ON	M4G 2K4
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave East and Holly St	Toronto ON	M4P 1G6
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave East and Donlea Dr	Toronto ON	M4G 2K4
GEN	Crosslinx Transit Solutions	Eglinton - East of Kennedy Go	Toronto ON	M1K 2R1
GEN	Metrolinx	Yonge and Eglinton, Between Duplex Av and Holly St	Toronto ON	M4P 1A9
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave East and Holly St	Toronto ON	M4P 1G6
GEN	TRANS-NORTHERN PIPELINES INC.	TORONTO METER STATION DON VALLEY PARKWAY AND LAKESHORE	TORONTO ON	
GEN	TORONTO TRANSIT COMMISSION	EGLINTON AVENUE GARAGE C/O 1900 YONGE STREET	TORONTO ON	M4S 1Z2
GEN	Toronto Transit Commission	Danforth Rd and McCowan Rd, from north of Eglinton	TORONTO ON	M1J 2C6
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave. East and Petman Ave	Toronto ON	M4P 1M5
GEN	Aecon Constructors and Dragados Canada	Intersection of Eglinton Ave East and Holly St	Toronto ON	M4P 1G6
GEN	Metrolinx	Eglinton Ave between Laird Dr and Sutherland Dr	Toronto ON	M4G 1K2
GEN	Crosslinx Transit Solutions	Prudham Gate anf Eglinton Ave E	Toronto ON	M1L 2M9
INC		Wynford Drive, Toronto (southwest side of DVP offramp)	ON	
REC	AECON CONSTRUCTION GROUP/Dragados Canada INC.	EGLINTON AVE. E. (LS3)	TORONTO ON	M4G 4E8
REC	AECON CONSTRUCTION GROUP/Dragados Canada INC.	EGLINTON AVE. E. (LS3)	TORONTO ON	M4G 4E8
RST	PETRO-CANADA	EGLINTON W & ELMCREST	TORONTO ON	
SPL	TORONTO TRANSIT COMMISSION	EGLINTON GARAGE MOTOR VEHICLE (OPERATING FLUID)	TORONTO CITY ON	

SPL		Kennedy, Street adjacent is Merrion Rd (just south of Eglinton Ave OUTFALL DISCHARGE TO TAYLOR-MASSEY CREEK<UNOFFICIAL>	Toronto ON	
SPL	UNKNOWN	ON THE ALLEN EXPRESSWAY FOR 200 METRES BETWEEN LAWRENCE AND EGLINTON	TORONTO CITY ON	
SPL	TORONTO TRANSIT COMMISSION	NORTH-BOUND SHOULDER OF HWY 427 JUST NORTH OF EGLINTON ST. CLAIR AVE. WEST MOTOR VEHICLE (OPERATING FLUID)	TORONTO CITY ON	
SPL	City of Toronto	Martin Grove just South of Eglinton	Toronto ON	
SPL	HARMAC TRANSPORTATION	DON VALLEY SOUTHBOUND, 1 MILE SOUTH OF ST CLAIR, ON THE WEST SHOULDER TANK TRUCK (CARGO)	TORONTO CITY ON	
SPL	Unknown<UNOFFICIAL>	Eglinton Avenue West in the westbound lane, east of Martingrove Road	Toronto ON	
SPL	UNKNOWN	ETOBICOKE CREEK FROM OUTFALL AT EGLINTON AVE, DOWN TO LAKE ONTARIO	TORONTO CITY ON	
SPL	METROPOLITAN TORONTO, MUNICIPA	IN TAYLOR CREEK PARK EAST OF THE DON VALLEY AND SOUTH OF DON MILLS SANITARY SEWER/ SEWAGE PUMPING STATION	TORONTO CITY ON	
SPL	Enbridge Gas Distribution Inc.	Avenue Road, north of Eglinton	Toronto ON	
SPL		Eglinton westbound off ramp to H'way 27	Toronto ON	
SPL	City of Toronto	near Bimbok Rd and Citadel (NW of Brimley and Eglinton area)	Toronto ON	
SPL	TRANSPORT TRUCK	DON RIVER, DON VALLEY PARKWAY SOUTHBOUND, SOUTH OF LAWRENCE AVE. MOTOR VEHICLE (OPERATING FLUID)	TORONTO CITY ON	
SPL	TRANSPORT TRUCK	(ETOBICOKE) ON RICHVIEW SIDE RD., SCARLETT RD. & EGLINTON AVE. MOTOR VEHICLE (OPERATING FLUID)	TORONTO CITY ON	
SPL	Crosslinx Transit Solutions Constructors., as general partner for and on behalf	of SNC-Lavalin Constructors (Pacific) Inc. Limited Partnership NE Corner of Eglinton Ave E and Black Creek Dr	Toronto ON	
SPL	Beacon Transportation<UNOFFICIAL>	Hwy 410 EB at Eglinton Ave. WEST offramp (Updated: 401 EB under Carling View Bridge)	Toronto ON	
SPL		Eglinton Ave between St Denis and Rumsey	Toronto ON	
SPL	City of Toronto	Unknown Address Somewhere in Eglinton & Pharmacy Area - Outfall at Rannock and Craigton	Toronto ON	
SPL	Toronto Transit Commission (TTC)	cb at Eglinton Ave E, Ebound at Kingston Rd	Toronto ON	
SPL	Toronto Hydro-Electric System Limited	North of Eglinton, on west side of Kennedy	Toronto ON	M1K 2C8

SPL	ELMER'S PRODUCTS CANADA	DON RIVER, EAST BRANCH, OUTFALL EAST OF BARTLEY, S. OF EGLINTON, NEAR TRACKS 27 HOBSON AVENUE	TORONTO CITY ON
SPL	UNKNOWN	WILKET CREEK, WEST OUTFALL TO CREEK, 20 FT SOUTH OF EGLINTON AVE	TORONTO CITY ON
SPL	ONTARIO HYDRO	DON VALLEY NEAR REDLAND DRIVE HIGH VOLTAGE CABLE	TORONTO CITY ON
SPL	ONTARIO HYDRO	WOLNER AVE (EGLINTON/JANE) TRANSFORMER	TORONTO CITY ON
SPL	Toronto Transit Commission	Dufferin Ave NB at N of Eglinton	Toronto ON
SPL	Metrolinx	Intersection of Eglinton Ave West and Renforth Rd	Toronto ON
SPL	Aggreko Inc.	Wynford Drive, southwest side of DVP offramp	Toronto ON
SPL	City of Toronto	Kennedy Road (north of Eglinton Ave.)	Toronto ON
SPL	TORONTO TRANSIT COMMISSION	EGLINTON AVENUE, BETWEEN DON MILLS AND FLEMINGTON PARK BLVD. MOTOR VEHICLE (OPERATING FLUID)	TORONTO CITY ON
SPL	TORONTO HYDRO	POLE #63 ON GLENAR AVE, BETWEEN SPADINA AND EGLINTON TRANSFORMER	TORONTO CITY ON
SPL	Toronto Transit Commission	Eglinton just west of Mt Pleasant	Toronto ON
SPL		between Eglinton and Carlingview onramp to 401 eastbound	Toronto ON
SPL	GO Transit	On Black Creek Drive, just north of Eglinton	Toronto ON
SPL	Hydro One	Eglinton Ave	Toronto ON
SPL	Rothsay-Maple Leaf Foods	Westbound lanes of Eglinton Ave, between Scarlett Rd and Islington<UNOFFICIAL>	Toronto ON
SPL	Ren-View Construction<UNOFFICIAL>	Eglinton Avenue at Hwy 427/401 underpass	Toronto ON
SPL		Between Eglinton and Foxridge, Scarborough	Toronto ON
SPL	Enbridge Gas Distribution Inc.	WILLOWBANK BLVD (AVENUE RD & EGLINTON)<UNOFFICIAL>	Toronto ON
SPL	Crosslinx Transit Solutions Constructors., as general partner for and on behalf	of SNC-Lavalin Constructors (Pacific) Inc. Limited Partnership Bathurst just south of Eglinton	Toronto ON
SPL	Toronto Transit Commission	Dufferin St between Eglinton and Rowan Ave S	Toronto ON
SPL	Aecon Construction Group Inc.	Construction site outside 957 Eglinton Ave East	Toronto ON

SPL	Toronto Transit Commission	Eglinton Ave E, between Hoyle Ave and Bayview Ave	Toronto ON	
SPL		Eglinton east of Black Creek	Toronto ON	
SPL	Toronto Transit Commission	Eglinton Ave. E-bound lane at Kingston Rd.	Toronto ON	
SPL	Toronto Transit Commission	MIDLAND AVE, 1 BLOCK NORTH OF EGLINTON AVE. EAST.<UNOFFICIAL>	Toronto ON	
SPL	City of Toronto	Ridgevalley Crescent, near St. George's Golf Course, Islington south of Eglinton	Toronto ON	
SPL	Dufferin Construction Company	Eglinton Ave W Renfoth Dr. Commerce Blvd. Matheson Blvd. E	Toronto ON	M9C 5K6
TANK	Garland	2296 Eglinton AveW	Toronto ON	M6E 2L4
TANK	Sun Oil Co Ltd	653 Eglinton Ave W	Toronto ON	
WDS	Aecon Construction Group Inc. and Dragados Canada, Inc.	Eglinton Ave E	Toronto ON	M4G 4E8
WWIS			TORONTO ON	
WWIS			TORONTO ON	
WWIS			TORONTO ON	
WWIS			TORONTO ON	
WWIS			TORONTO ON	
WWIS			TORONTO ON	
WWIS			TORONTO ON	
WWIS			TORONTO ON	
WWIS			TORONTO ON	
WWIS			Toronto ON	
WWIS			Toronto ON	
WWIS			TORONTO ON	

Unplottable Report

Site: *Enbridge Gas Distribution Inc.
Martin Grove Road South of Eglinton Avenue West Toronto ON*

Database:
CA

Certificate #: 1198-7TPNR2
Application Year: 2009
Issue Date: 11/25/2009
Approval Type: Air
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: *Toronto Transit Commission (TTC)
Eglinton Avenue West Between 2801 and 2855 Eglinton Avenue West Toronto ON*

Database:
CA

Certificate #: 1966-8GYMVT
Application Year: 2011
Issue Date: 5/24/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: *TORONTO CITY, YORK CIVIC SERVICE CENTRE
 EGLINTON AVE. S.W. DET. TANK TORONTO CITY ON*

Database:
CA

Certificate #: 3-1228-99-
Application Year: 99
Issue Date: 12/1/1999
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: *City of Toronto
Eglinton Ave. East & Bayview Ave. Toronto ON M5H 2N2*

Database:
ECA

Approval No: 0327-538HC2
Status: Approved
SWP Area Name:
MOE District:

Date: 2001-10-11
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Water Works
Approval Type: ECA-Municipal and Private Water Works
Full Address:
Full PDF Link:

City:
Latitude:
Longitude:

Site: **Toronto Transit Commission**
Eglinton Avenue West at Henning Ave Toronto ON M2N 6L8

Database:
ECA

Approval No: 4009-92PKAJ
Status: Approved
Date: 2012-12-07
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3946-923R86-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: **City of Toronto**
Eglinton Ave Intersection of Eglinton and Bellamy Road North Toronto ON M5V 3C6

Database:
ECA

Approval No: 8460-7P5SQW
Status: Approved
Date: 2009-02-13
Record Type: ECA
Link Source: IDS
Project Type: Air
Approval Type: ECA-Air
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0515-7NCMRK-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: **City of Toronto**
Eglinton Ave W from Bathurst Street to Gilgorm Road and from Avenue Road to Duplex Avenue Toronto ON M5V 3V6

Database:
ECA

Approval No: 8238-7HFRK7
Status: Approved
Date: 2008-08-15
Record Type: ECA
Link Source: IDS
Project Type: Municipal Drinking Water Systems
Approval Type: ECA-Municipal Drinking Water Systems
Full Address:
Full PDF Link:

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: **Metrolinx**
Eglinton Ave (Between Walder Avenue and Bayview Avenue) Toronto ON M2N 7E4

Database:
ECA

Approval No: 0230-A5ET5R
Status: Approved
Date: 2015-12-23
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4927-A59QQ8-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: **Metrolinx**

Database:

Approval No: 9440-9RDSP4
Status: Approved
Date: 2014-12-17
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/2087-9QMSYB-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: Metrolinx
Eglinton Scarborough Crosstown Twin Tunnels Toronto ON M2N 6L9

Database:
ECA

Approval No: 1272-9E3LXL
Status: Approved
Date: 2013-12-17
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4034-9E2RRL-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: Metrolinx
Eglinton Ave E Toronto ON M2N 6L9

Database:
ECA

Approval No: 0317-9E3PCP
Status: Revoked and/or Replaced
Date: 2013-12-17
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/6761-9E2S2T-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: SNC-Lavalin Constructors (Pacific) Inc., as general partner for and on behalf of Crosslinx Transit Solutions Constructors Eglinton Avenue Between Duplex Avenue and Holly Street Toronto ON M2N 7E4

Database:
ECA

Approval No: 7656-AGKLTB
Status: Approved
Date: 2016-12-20
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8641-AGFLY8-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: Metrolinx
Eglinton Ave W Renforth Drive, Commerce Boulevard, and Matheson Boulevard East Toronto ON M5J 2W3

Database:
ECA

Approval No: 5468-9XAM9E
Status: Approved
Date: 2015-06-08
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4185-9W2NZD-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: *Metrolinx* **Database:**
Eglinton Ave W from Alameda Ave. to Marlee Ave. Toronto ON M2N 6L9 **ECA**

Approval No: 4662-9MCJJD **SWP Area Name:**
Status: Approved **MOE District:**
Date: 2014-07-25 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4957-9MBGVG-14.pdf>

Site: *Metrolinx* **Database:**
Eglinton Ave W Renfoth Dr., Commerce Blvd., Matheson Blvd. E Toronto ON M5J 2W3 **ECA**

Approval No: 5831-9VZSMU **SWP Area Name:**
Status: Approved **MOE District:**
Date: 2015-05-08 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4854-9MWNJZ-14.pdf>

Site: *Metrolinx* **Database:**
Eglinton Scarborough Crosstown Twin Tunnels Toronto ON M2N 6L9 **ECA**

Approval No: 9469-9DDQA9 **SWP Area Name:**
Status: Revoked and/or Replaced **MOE District:**
Date: 2013-11-22 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3010-9D6LJ2-14.pdf>

Site: *City of Toronto* **Database:**
Scarlett Road (Edenbridge Dr to N. of Eglinton) Toronto ON M9C 2Y2 **ECA**

Approval No: 4995-5K3PJH **SWP Area Name:**
Status: Approved **MOE District:**
Date: 2003-02-26 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal and Private Water Works
Approval Type: ECA-Municipal and Private Water Works
Full Address:
Full PDF Link:

Site: *Metrolinx* **Database:**
Eglinton Ave W from Oriole Parkway West to West of Eastbourne Avenue Toronto ON M2N 6L9 **ECA**

Approval No: 1823-9P8GWQ **SWP Area Name:**
Status: Approved **MOE District:**
Date: 2014-09-29 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal and Private Sewage Works

Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/4859-9NZM6X-14.pdf>

Site: **Metrolinx** **Database:**
Eglinton Ave E and Petman Avenue Intersection Toronto ON M2N 7E4 **ECA**

Approval No: 1946-A6DQ3D **SWP Area Name:**
Status: Approved **MOE District:**
Date: 2016-01-29 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3085-A6CTQU-14.pdf>

Site: **City of Toronto** **Database:**
From Eglinton Avenue to Lawrence Avenue Toronto ON M2N 5V7 **ECA**

Approval No: 5331-7EELVJ **SWP Area Name:**
Status: Approved **MOE District:**
Date: 2008-05-08 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal Drinking Water Systems
Approval Type: ECA-Municipal Drinking Water Systems
Full Address:
Full PDF Link:

Site: **Toronto Transit Commission** **Database:**
Eglinton Scarborough Crosstown Tunnel Toronto ON M2N 6L9 **ECA**

Approval No: 3575-8ZVQHV **SWP Area Name:**
Status: Approved **MOE District:**
Date: 2012-11-16 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8632-8ZTNGD-14.pdf>

Site: **Metrolinx** **Database:**
Eglinton Avenue East between Brentcliffe Drive & Leslie Street Toronto ON M2N 6L9 **ECA**

Approval No: 5633-9FMKMT **SWP Area Name:**
Status: Revoked and/or Replaced **MOE District:**
Date: 2014-01-31 **City:**
Record Type: ECA **Latitude:**
Link Source: IDS **Longitude:**
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/6816-9EYK2D-14.pdf>

Site: **Metrolinx** **Database:**
Eglinton Ave W from Approx. 16m west of Peveril Hill North to Bathurst Street Toronto ON M2N 6L9 **ECA**

Approval No: 3896-9ATHKF **SWP Area Name:**
Status: Approved **MOE District:**
Date: 2013-08-30 **City:**

Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0270-9ARRH2-14.pdf>

Latitude:
Longitude:

Site: *Metrolinx
Intersection of Eglinton Avenue and Holly Street Toronto ON M2N 6L9*

Database:
ECA

Approval No: 4008-9E8KYL
Status: Approved
Date: 2013-12-17
Record Type: ECA
Link Source: IDS
Project Type: Municipal and Private Sewage Works
Approval Type: ECA-Municipal and Private Sewage Works
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3160-9E3K4A-14.pdf>

SWP Area Name:
MOE District:
City:
Latitude:
Longitude:

Site: *Eglinton Ave E Yonge St to Laird Dr Toronto ON*

Database:
EHS

Postal Code:
City:
Address2:
Address1:
Provstate:
Order No.: 20120725011
Addit. Info Ordered::
Report Date: 30-JUL-12
Report Type: Custom Report
Search Radius (km): .3

Site: *4200, 4300 and 4400 Eglinton Ave W Toronto ON*

Database:
EHS

Postal Code:
City:
Address2:
Address1:
Provstate:
Order No.: 20120403033
Addit. Info Ordered::
Report Date: 4/5/2012
Report Type: Custom Report
Search Radius (km): 0.25

Site: *N of Eglinton Ave W btwn Islington and Wincott Toronto ON*

Database:
EHS

Postal Code:
City:
Address2:
Address1:
Provstate:
Order No.: 20120403036
Addit. Info Ordered::
Report Date: 4/5/2012
Report Type: Custom Report
Search Radius (km): 0.25

Site: Aecon Constructors and Dragados Canada
Intersection of Eglinton Ave East and Holly St Toronto ON M4P 1G6

Database:
GEN

Generator No.:	ON3613439	PO Box No.:	
Status:		Country:	Canada
Approval Years:	2014	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Andriy Yarymovych
MHSW Facility:	No	Phone No. Admin:	416-700-6644 Ext.
SIC Code:	237990		
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION		

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: Aecon Constructors and Dragados Canada
Intersection of Eglinton Ave. East and Petman Ave Toronto ON M4P 1M5

Database:
GEN

Generator No.:	ON3301359	PO Box No.:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Andriy Yarymovych
MHSW Facility:	No	Phone No. Admin:	416-700-6644 Ext.
SIC Code:	237990		
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION		

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: Aecon Constructors and Dragados Canada
Intersection of Eglinton Ave. East and Petman Ave Toronto ON M4P 1M5

Database:
GEN

Generator No.:	ON3301359	PO Box No.:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Andriy Yarymovych
MHSW Facility:	No	Phone No. Admin:	416-700-6644 Ext.
SIC Code:	237990		
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION		

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: 940412 Ontario Ltd
Eglinton Ave West Toronto ON M6M 1S9

Database:
GEN

Generator No.:	ON8880124	PO Box No.:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	
MHSW Facility:	No	Phone No. Admin:	
SIC Code:	531310		
SIC Description:	REAL ESTATE PROPERTY MANAGERS		

--Details--

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: METRO TRANSPORTATION
DON VALLEY PARKWAY AT BRIDGE OVER CNBALA SUBDIV./DON RIVER (S. OF GRENOBLE DR.) TORONTO ON

Database:
GEN

Generator No.: ON0654814
Status:
Approval Years: 99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 4591
SIC Description: HIGHWAY, ETC. IND.
PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: METRO TRANSPORTATION
DON VALLEY PKWY AT BRIDGE OVER CN BALA SUBDIVISION/DON RIVER S. OF GRENOBLE DR. TORONTO ON

Database:
GEN

Generator No.: ON0654812
Status:
Approval Years: 97,98,99,00,01
Contam. Facility:
MHSW Facility:
SIC Code: 8371
SIC Description: TRANSPORTATION ADMIN.
PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: Aecon Constructors and Dragados Canada
Intersection of Eglinton Ave East and Donlea Dr Toronto ON M4G 2K4

Database:
GEN

Generator No.: ON9886164
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 237990
SIC Description: OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION
PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Andriy Yarymovych
Phone No. Admin: 416-700-6644 Ext.

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: Aecon Constructors and Dragados Canada
Intersection of Eglinton Ave. East and Petman Ave Toronto ON M4P 1M5

Database:
GEN

Generator No.: ON3301359
Status:
Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 237990
SIC Description: OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION
PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Andriy Yarymovych
Phone No. Admin: 416-700-6644 Ext.

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: Crosslinx Transit Solutions
Eglinton - East of Kennedy Go Toronto ON M1K 2R1

Database:
GEN

Generator No.: ON8614295
Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 237990
SIC Description: OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: CTS
Birchmount and Eglinton Ave E Toronto ON M1K 5L1

Database:
GEN

Generator No.: ON9974641
Status: Registered
Approval Years: As of Jun 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Waste Code: 146 L
Waste Description: Other specified inorganic sludges, slurries or solids

Site: City of Toronto
Wynford Drive Bridge Toronto ON M6B4J3

Database:
GEN

Generator No.: ON4070866
Status:
Approval Years: 05
Contam. Facility:
MHSW Facility:
SIC Code: 237310
SIC Description: Highway Street and Bridge Construction

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: Aecon Constructors and Dragados Canada
Intersection of Eglinton Ave East and Sutherland D Toronto ON M4G 1K2

Database:
GEN

Generator No.: ON2896001
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 237990
SIC Description: OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Andriy Yarymovych
Phone No. Admin: 416-700-6644 Ext.

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: METRO TRANSPORTATION
DON VALLEY PARKWAY AT BRIDGE OVER CNBALA SUBDIV./DON RIVER(S. OF GRENOBLE DR. TORONTO ON

Database:
GEN

Generator No.: ON0654814
Status:
Approval Years: 97,98
Contam. Facility:
MHSW Facility:
SIC Code: 4591
SIC Description: HIGHWAY, ETC. IND.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: HERTZ CANADA (OUT OF BUSINESS) 19-548
SILVER DART DRIVE, TORONTO AMF C/O 5403 EGLINTON AVENUE WEST ETOBICOKE ON M9C 5K6

Database:
GEN

Generator No.: ON0287700
Status:
Approval Years: 92,93,94,95,96,97
Contam. Facility:
MHSW Facility:
SIC Code: 9921
SIC Description: AUTO./TRUCK RENTAL

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: Aecon Constructors and Dragados Canada
Intersection of Eglinton Ave East and Donlea Dr Toronto ON M4G 2K4

Database:
GEN

Generator No.: ON9886164
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 237990
SIC Description: OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION

PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Andriy Yarymovych
Phone No. Admin: 416-700-6644 Ext.

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: Aecon Constructors and Dragados Canada
Intersection of Eglinton Ave East and Holly St Toronto ON M4P 1G6

Database:
GEN

Generator No.: ON3613439
Status: Registered
Approval Years: As of Jun 2017
Contam. Facility:
MHSW Facility:
SIC Code:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

SIC Description:

--Details--

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Site: **Aecon Constructors and Dragados Canada**
Intersection of Eglinton Ave East and Donlea Dr Toronto ON M4G 2K4

Database:
GEN

Generator No.:	ON9886164	PO Box No.:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Andriy Yarymovych
MHSW Facility:	No	Phone No. Admin:	416-700-6644 Ext.
SIC Code:	237990		
SIC Description:	OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION		

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: **Crosslinx Transit Solutions**
Eglinton - East of Kennedy Go Toronto ON M1K 2R1

Database:
GEN

Generator No.:	ON8614295	PO Box No.:	
Status:	Registered	Country:	Canada
Approval Years:	As of Jun 2017	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No. Admin:	
SIC Code:			
SIC Description:			

--Details--

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Site: **Metrolinx**
Yonge and Eglinton, Between Duplex Av and Holly St Toronto ON M4P 1A9

Database:
GEN

Generator No.:	ON3571091	PO Box No.:	
Status:		Country:	Canada
Approval Years:	2015	Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No	Co Admin:	Will Liu
MHSW Facility:	No	Phone No. Admin:	905-567-4444 Ext.
SIC Code:	485990		
SIC Description:	485990		

--Details--

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: **Aecon Constructors and Dragados Canada**
Intersection of Eglinton Ave East and Holly St Toronto ON M4P 1G6

Database:
GEN

Generator No.:	ON3613439	PO Box No.:	
Status:		Country:	Canada
Approval Years:	2016	Choice of Contact:	CO_OFFICIAL

Contam. Facility: No
MHSW Facility: No
SIC Code: 237990
SIC Description: OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION

Co Admin: Andriy Yarymovych
Phone No. Admin: 416-700-6644 Ext.

--Details--
Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: TRANS-NORTHERN PIPELINES INC.
TORONTO METER STATION DON VALLEY PARKWAY AND LAKESHORE TORONTO ON

Database:
GEN

Generator No.: ON0174733
Status:
Approval Years: 93,94,95,96,97,98,99,00,01,02,03,04
Contam. Facility:
MHSW Facility:
SIC Code: 0711
SIC Description: CONV. OIL & GAS IND.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 221
Waste Description: LIGHT FUELS

Site: TORONTO TRANSIT COMMISSION
EGLINTON AVENUE GARAGE C/O 1900 YONGE STREET TORONTO ON M4S 1Z2

Database:
GEN

Generator No.: ON0173612
Status:
Approval Years: 86,87,88
Contam. Facility:
MHSW Facility:
SIC Code: 4571
SIC Description: URBAN TRANSIT SYS.

PO Box No.:
Country:
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--
Waste Code: 150
Waste Description: INERT INORGANIC WASTES

Waste Code: 212
Waste Description: ALIPHATIC SOLVENTS

Waste Code: 221
Waste Description: LIGHT FUELS

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Waste Code: 270
Waste Description: OTHER SPECIFIED ORGANICS

Waste Code: 331
Waste Description: WASTE COMPRESSED GASES

Site: Toronto Transit Commission
Danforth Rd and McCowan Rd, from north of Eglinton TORONTO ON M1J 2C6

Database:
GEN

Generator No.: ON6891770
Status: Registered
Approval Years: As of Jun 2017

PO Box No.:
Country: Canada
Choice of Contact:

Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

Co Admin:
Phone No. Admin:

--Details--

Waste Code: 251 L
Waste Description: Waste oils/sludges (petroleum based)

Waste Code: 146 L
Waste Description: Other specified inorganic sludges, slurries or solids

Site: **Aecon Constructors and Dragados Canada**
Intersection of Eglinton Ave. East and Petman Ave Toronto ON M4P 1M5

Database:
GEN

Generator No.: ON3301359
Status: Registered
Approval Years: As of Jun 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:
PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Site: **Aecon Constructors and Dragados Canada**
Intersection of Eglinton Ave East and Holly St Toronto ON M4P 1G6

Database:
GEN

Generator No.: ON3613439
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 237990
SIC Description: OTHER HEAVY AND CIVIL ENGINEERING CONSTRUCTION
PO Box No.:
Country: Canada
Choice of Contact: CO_OFFICIAL
Co Admin: Andriy Yarymovych
Phone No. Admin: 416-700-6644 Ext.

--Details--

Waste Code: 252
Waste Description: WASTE OILS & LUBRICANTS

Site: **Metrolinx**
Eglinton Ave between Laird Dr and Sutherland Dr Toronto ON M4G 1K2

Database:
GEN

Generator No.: ON3356064
Status:
Approval Years: 2015
Contam. Facility: No
MHSW Facility: No
SIC Code: 485990
SIC Description: 485990
PO Box No.:
Country: Canada
Choice of Contact: CO_ADMIN
Co Admin: Will Liu
Phone No. Admin: 9055674444 Ext.1291

--Details--

Waste Code: 251
Waste Description: OIL SKIMMINGS & SLUDGES

Site: **Crosslinx Transit Solutions**
Prudham Gate anf Eglinton Ave E Toronto ON M1L 2M9

Database:
GEN

Generator No.: ON4336331
Status: Registered
Approval Years: As of Jun 2017
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No.:
Country: Canada
Choice of Contact:
Co Admin:
Phone No. Admin:

--Details--

Waste Code: 252 L
Waste Description: Waste crankcase oils and lubricants

Site: Wynford Drive, Toronto (southwest side of DVP offramp) ON

Database:
INC

Incident No: 393798
Incident ID: 2545434
Attribute Category: FS-Perform L1 Incident Insp
Status Code: Causal Analysis Complete
Incident Location: Wynford Drive, Toronto (southwest side of DVP offramp) - Leak
Drainage System: No
Sub Surface Contam.: Unknown at this time
Aff. Prop. Use Water: No
Contam. Migrated: No
Contact Natural Env.: Yes
Near Body of Water: No
Approx. Quant. Rel.: 80 litres
Equipment Model:
Serial No:
Residential App. Type:
Commercial App. Type:
Industrial App. Type: Power Generating Units (e.g., Turbines etc.) Power Generating Units (e.g., Turbines etc.)
Institutional App. Type:
Venting Type:
Vent Connector Mater:
Vent Chimney Mater:
Pipeline Type:
Pipeline Involved:
Pipe Material:
Depth Ground Cover:
Regulator Location:
Regulator Type:
Operation Pressure:
Liquid Prop Make:
Liquid Prop Model:
Liquid Prop Serial No:
Equipment Type:
Cylinder Capacity:
Cylinder Capac. Units:
Cylinder Material Type:
Tank Capacity:
Fuels Occurrence Type: Discovery of a Petroleum Product
Fuel Type Involved: Fuel Oil
Date of Occurrence: 2010/05/25 00:00:00
Time of Occurrence: 08:00:00
Occur Insp Start Date: 2010/05/26 00:00:00
Any Health Impact: No
Any Environmental Impact: Yes
Was Service Interrupted: Yes
Was Property Damaged: Yes
Operation Type Involved: Other - Specify
Enforcement Policy: NULL
Prc Escalation Required: NULL
Task No: 2902665
Notes:
Occurrence Narrative: OIL SPILL FROM GENERATOR
Tank Material Type:

Tank Storage Type:
Tank Location Type:
Pump Flow Rate Capac:
Liquid Prop Notes:

Site: AECON CONSTRUCTION GROUP/DRAGADOS CANADA INC.
EGLINTON AVE. E. (LS3) TORONTO ON M4G 4E8

Database:
REC

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name: AECON CONSTRUCTION GROUP/DRAGADOS CANADA INC.
Choice of Contact: CO_ADMIN
Site Bldg:
Site PO Box:
Receiver #.: 3888-9WVQEW
Facility Type: TRANSFER STN - PROCESSING
Approval Yrs.: 2016

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: AECON CONSTRUCTION GROUP/DRAGADOS CANADA INC.
EGLINTON AVE. E. (LS3) TORONTO ON M4G 4E8

Database:
REC

Rec Op Div:
Co Admin:
Phone No Admin:
Rec Div:
Rec Op Name: AECON CONSTRUCTION GROUP/DRAGADOS CANADA INC.
Choice of Contact: CO_ADMIN
Site Bldg:
Site PO Box:
Receiver #.: 3888-9WVQEW
Facility Type: TRANSFER STN - PROCESSING
Approval Yrs.: 2015

--Details--

Waste Code: 146
Waste Description: OTHER SPECIFIED INORGANICS

Site: PETRO-CANADA
EGLINTON W & ELMCREST TORONTO ON

Database:
RST

Code: 01186800
Facility: SERVICE STATIONS GASOLINE OIL & NATURAL
Description:
List Name:

Site: TORONTO TRANSIT COMMISSION
EGLINTON GARAGE MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON

Database:
SPL

Ref No:	238598	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	1106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	9/7/2002	Source Type:	

Health/Env Conseq:
Incident Dt: 9/7/2002
Incident Cause: OTHER CAUSE (N.O.S.)
Incident Event:
Incident Reason: ERROR
Incident Summary: TTC: 202 L GLYCOL/WATER MIXTURE TO PARKING LOT BEING CLEANED UP.

Receiving Medium: LAND
Receiving Env:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
SAC Action Class:

Site: Kennedy, Street adjacent is Merrion Rd (just south of Eglinton Ave OUTFALL DISCHARGE TO TAYLOR-MASSEY CREEK<UNOFFICIAL> Toronto ON **Database:** [SPL](#)

Ref No:	2744-6UYLGH	Site Address:	KENNEDY, STREET ADJACENT IS MERRION RD (JUST SOUTH OF EGLINTON AVE
Contaminant Name:	UNKNOWN	Site Conc:	
Contaminant Code:	98	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	NOT SPECIFIED NOT SPECIFIED	Sector Type:	Unknown
MOE Reported Dt:	10/27/2006	Source Type:	
Health/Env Conseq:		Receiving Medium:	Water
Incident Dt:	10/27/2006	Receiving Env:	
Incident Cause:	Discharge Or Bypass To A Watercourse	Environment Impact:	Possible
Incident Event:		Nature of Impact:	Surface Water Pollution
Incident Reason:	Unknown - Reason not determined	SAC Action Class:	
Incident Summary:	Taylor-Massey Crk: soapy-grey unknw substance to crk, inv.		

Site: UNKNOWN ON THE ALLEN EXPRESSWAY FOR 200 METRES BETWEEN LAWRENCE AND EGLINTON TORONTO CITY ON **Database:** [SPL](#)

Ref No:	52219	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	01106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	6/12/1991	Source Type:	
Health/Env Conseq:		Receiving Medium:	LAND
Incident Dt:	6/12/1991	Receiving Env:	
Incident Cause:	UNKNOWN	Environment Impact:	NOT ANTICIPATED
Incident Event:		Nature of Impact:	
Incident Reason:	UNKNOWN	SAC Action Class:	
Incident Summary:	ABOUT 50 L OF LIGHT OIL ON THE ALLEN EXPRESSWAY FROM UNKNOWN SOURCE.		

Site: TORONTO TRANSIT COMMISSION NORTH-BOUND SHOULDER OF HWY 427 JUST NORTH OF EGLINTON ST. CLAIR AVE. WEST MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON **Database:** [SPL](#)

Ref No:	107646	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	1106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	11/24/1994	Source Type:	
Health/Env Conseq:		Receiving Medium:	LAND
Incident Dt:	11/24/1994	Receiving Env:	
Incident Cause:	OTHER CONTAINER LEAK	Environment Impact:	NOT ANTICIPATED
Incident Event:		Nature of Impact:	
Incident Reason:	GASKET/JOINT	SAC Action Class:	

Incident Summary: T.T.C.- 9L OF MOTOR OIL TO HWY 427
SHOULDER FROM BUS.

Site: City of Toronto
Martin Grove just South of Eglinton Toronto ON

Database:
SPL

Ref No:	7833-97PKQG	Site Address:	Martin Grove just South of Eglinton
Contaminant Name:	SEDIMENT(SUSPENDED SOLIDS/ SAND/ SILT)	Site Conc:	
Contaminant Code:	43	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	0 other - see incident description	Sector Type:	Non-Point Source (i.e. run-off)
MOE Reported Dt:	14-MAY-13	Source Type:	
Health/Env Conseq:		Receiving Medium:	
Incident Dt:	14-MAY-13	Receiving Env:	
Incident Cause:	Leak/Break	Environment Impact:	Possible
Incident Event:		Nature of Impact:	Surface Water Pollution
Incident Reason:	Unknown / N/A	SAC Action Class:	Pollution Incident Reports (PIRs) and "Other" calls
Incident Summary:	Mimico Creek: Milky colour, chemical odour		

Site: HARMAC TRANSPORTATION
DON VALLEY SOUTHBOUND, 1 MILE SOUTH OF ST CLAIR, ON THE WEST SHOULDER TANK TRUCK (CARGO)
TORONTO CITY ON

Database:
SPL

Ref No:	113364	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	1106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	5/18/1995	Source Type:	
Health/Env Conseq:		Receiving Medium:	LAND
Incident Dt:	5/18/1995	Receiving Env:	
Incident Cause:	VALVE/FITTING LEAK OR FAILURE	Environment Impact:	NOT ANTICIPATED
Incident Event:		Nature of Impact:	
Incident Reason:	GASKET/JOINT	SAC Action Class:	
Incident Summary:	HARMAC TRANSPORT: 10L LIGHT LUBRICATING OIL TO GROUND.CLEANED UP FD,POLI		

Site: Unknown<UNOFFICIAL>
Eglinton Avenue West in the westbound lane, east of Martingrove Road Toronto ON

Database:
SPL

Ref No:	3060-98SMML	Site Address:	Eglinton Avenue West in the westbound lane, east of Martingrove Road
Contaminant Name:	OIL (PETROLEUM BASED, NOT SPECIFIED)	Site Conc:	
Contaminant Code:	15	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	0 other - see incident description	Sector Type:	Unknown / N/A
MOE Reported Dt:	18-JUN-13	Source Type:	
Health/Env Conseq:		Receiving Medium:	
Incident Dt:	18-JUN-13	Receiving Env:	
Incident Cause:	Unknown / N/A	Environment Impact:	Not Anticipated
Incident Event:		Nature of Impact:	Other Impact(s)
Incident Reason:	Unknown / N/A	SAC Action Class:	Land Spills
Incident Summary:	City of Toronto: oil spill to road		

Site: UNKNOWN

Database:

Ref No:	141728	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	01106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	6/7/1997	Source Type:	
Health/Env Conseq:		Receiving Medium:	WATER
Incident Dt:	6/7/1997	Receiving Env:	
Incident Cause:	UNKNOWN	Environment Impact:	POSSIBLE
Incident Event:		Nature of Impact:	Water course or lake
Incident Reason:	UNKNOWN	SAC Action Class:	
Incident Summary:	SOURCE UNKNOWN: FOAM IN ETOBICOKE CREEK TRACED TO OUTFALL, ETOBICOKE, PEEL RM		

Site: METROPOLITAN TORONTO, MUNICIPALITY IN TAYLOR CREEK PARK EAST OF THE DON VALLEY AND SOUTH OF DON MILLS SANITARY SEWER/ SEWAGE PUMPING STATION TORONTO CITY ON

Database:
SPL

Ref No:	121103	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	1106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	11/22/1995	Source Type:	
Health/Env Conseq:		Receiving Medium:	LAND
Incident Dt:	11/22/1995	Receiving Env:	
Incident Cause:	OTHER CAUSE (N.O.S.)	Environment Impact:	POSSIBLE
Incident Event:		Nature of Impact:	Soil contamination
Incident Reason:	ERROR	SAC Action Class:	
Incident Summary:	METRO TORONTO WORKS DEPT.- 4500 L OF SEWAGE TO GROUND FROM TRUCK SEWER.		

Site: Enbridge Gas Distribution Inc. Avenue Road, north of Eglinton Toronto ON

Database:
SPL

Ref No:	7605-8GCNVU	Site Address:	Avenue Road, north of Eglinton
Contaminant Name:	NATURAL GAS (METHANE)	Site Conc:	
Contaminant Code:	35	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	0 other - see incident description	Sector Type:	Pipeline
MOE Reported Dt:	4/28/2011	Source Type:	
Health/Env Conseq:		Receiving Medium:	
Incident Dt:	4/28/2011	Receiving Env:	
Incident Cause:	Discharge or Emission to Air	Environment Impact:	Not Anticipated
Incident Event:		Nature of Impact:	Air Pollution
Incident Reason:	Error- Operator error	SAC Action Class:	Air Spills - Gases and Vapours
Incident Summary:	TSSA: nat'l gas to atm, ½ inch plastic service line damage		

Site: Eglinton westbound off ramp to H'way 27 Toronto ON

Database:
SPL

Ref No:	7803-7NFSFX	Site Address:	
Contaminant Name:	OIL (PETROLEUM BASED, NOT SPECIFIED)	Site Conc:	
Contaminant Code:		Site Lot:	

Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty:
MOE Reported Dt: 1/19/2009
Health/Env Conseq:
Incident Dt:
Incident Cause:
Incident Event:
Incident Reason:
Incident Summary: MVA: gasoline spill to Eglinton off ramp, CB, cleaning

Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Other Motor Vehicle
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact: Not Anticipated
Nature of Impact:
SAC Action Class: Watercourse Spills

Site: **City of Toronto**
near Bimbrok Rd and Citadel (NW of Brimley and Eglinton area) Toronto ON

Database:
SPL

Ref No: 4755-6YKQZU
Contaminant Name: SEWAGE,RAW UNCHLORINATED
Contaminant Code: 44
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: unknown unknown
MOE Reported Dt: 2/19/2007
Health/Env Conseq:
Incident Dt:
Incident Cause: Pipe Or Hose Leak
Incident Event:
Incident Reason: Corrosion - All forms of internal/external corrosion
Incident Summary: W. Highland Cr. - Sanitary surcharge into storm sewer

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Sewage Municipal
Source Type:
Receiving Medium: Water
Receiving Env:
Environment Impact: Possible
Nature of Impact: Surface Water Pollution
SAC Action Class:

Site: **TRANSPORT TRUCK**
DON RIVER, DON VALLEY PARKWAY SOUTHBOUND, SOUTH OF LAWRENCE AVE. MOTOR VEHICLE
(OPERATING FLUID) TORONTO CITY ON

Database:
SPL

Ref No: 207526
Contaminant Name:
Contaminant Code:
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty:
MOE Reported Dt: 8/1/2001
Health/Env Conseq:
Incident Dt: 8/1/2001
Incident Cause: OTHER TRANSPORTATION ACCIDENT
Incident Event:
Incident Reason: UNKNOWN
Incident Summary: K.B. KHABRA TRANS:DIESEL SPILLED TO DVP, STABLE POSS. DON CONTAMINATION.

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: 01106
Site Postal Code:
Sector Type:
Source Type:
Receiving Medium: Land, Water
Receiving Env:
Environment Impact: Possible
Nature of Impact: Multi Media Pollution
SAC Action Class:

Site: **TRANSPORT TRUCK**
(ETOBICOKE) ON RICHVIEW SIDE RD., SCARLETT RD. & EGLINTON AVE. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON

Database:
SPL

Ref No: 168425
Contaminant Name:
Contaminant Code:
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty:

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: 1106
Site Postal Code:
Sector Type:

MOE Reported Dt:	6/2/1999	Source Type:	
Health/Env Conseq:		Receiving Medium:	LAND / WATER
Incident Dt:	6/2/1999	Receiving Env:	
Incident Cause:	OTHER CONTAINER LEAK	Environment Impact:	POSSIBLE
Incident Event:		Nature of Impact:	Water course or lake
Incident Reason:	ADVERSE ROAD CONDITION	SAC Action Class:	
Incident Summary:	CHURCHILL TRANSPORTATION - 1125 L OF DIESEL FUEL TO RD. & STORM SEWERS.		

Site: <i>Crosslinx Transit Solutions Constructors., as general partner for and on behalf of SNC-Lavalin Constructors (Pacific) Inc. Limited Partnership NE Corner of Eglinton Ave E and Black Creek Dr Toronto ON</i>		Database: SPL	
Ref No:	1845-AMQ2FT	Site Address:	NE Corner of Eglinton Ave E and Black Creek Dr
Contaminant Name:	SEDIMENT(SUSPENDED SOLIDS/ SAND/ SILT)	Site Conc:	
Contaminant Code:	43	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:	n/a	Site Postal Code:	
Contaminant Qty:	0 L	Sector Type:	Unknown / N/A
MOE Reported Dt:	5/25/2017	Source Type:	Unknown / N/A
Health/Env Conseq:	2 - Minor Environment	Receiving Medium:	
Incident Dt:	5/25/2017	Receiving Env:	Surface Water
Incident Cause:		Environment Impact:	
Incident Event:	Unknown / N/A	Nature of Impact:	
Incident Reason:	Weather Conditions	SAC Action Class:	
Incident Summary:	Crosslinx: Sediment-laden water to Black Creek, unknown source		

Site: <i>Beacon Transportation<UNOFFICIAL> Hwy 410 EB at Eglinton Ave. WEST offramp (Updated: 401 EB under Carling View Bridge) Toronto ON</i>		Database: SPL	
Ref No:	0567-9JNES5	Site Address:	Hwy 410 EB at Eglinton Ave. WEST offramp (Updated: 401 EB under Carling View Bridge)
Contaminant Name:	DIESEL FUEL	Site Conc:	
Contaminant Code:	13	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	125 L	Sector Type:	Truck - Transport/Hauling
MOE Reported Dt:	2014/04/30	Source Type:	
Health/Env Conseq:		Receiving Medium:	
Incident Dt:	2014/04/30	Receiving Env:	
Incident Cause:	Collision/Accident	Environment Impact:	Confirmed
Incident Event:		Nature of Impact:	Soil Contamination; Surface Water Pollution
Incident Reason:	Unknown / N/A	SAC Action Class:	Highway Spills (usually highway accidents)
Incident Summary:	TT MVA Hwy 401 dsl to Express/CB		

Site: <i>Eglinton Ave between St Denis and Rumsey Toronto ON</i>		Database: SPL	
Ref No:	8580-8ZY253	Site Address:	Eglinton Ave between St Denis and Rumsey
Contaminant Name:	COOLANT N.O.S.	Site Conc:	
Contaminant Code:	27	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	70 L	Sector Type:	Motor Vehicle
MOE Reported Dt:	11-NOV-12	Source Type:	
Health/Env Conseq:		Receiving Medium:	
Incident Dt:	11-NOV-12	Receiving Env:	
Incident Cause:	Leak/Break	Environment Impact:	Confirmed
Incident Event:		Nature of Impact:	Soil Contamination

Incident Reason: Equipment Failure
Incident Summary: TTC: spill 70 LL antifreeze, cleaning

SAC Action Class: Land Spills

Site: City of Toronto
Unknown Address Somewhere in Eglinton & Pharmacy Area - Outfall at Rannock and Craigton Toronto ON

Database:
SPL

Ref No:	5252-8WLJFM	Site Address:	Unknown Address Somewhere in Eglinton & Pharmacy Area - Outfall at Rannock and Craigton
Contaminant Name:	SEWAGE,RAW UNCHLORINATED	Site Conc:	
Contaminant Code:	44	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	Sewer
MOE Reported Dt:	27-JUL-12	Source Type:	
Health/Env Conseq:		Receiving Medium:	Sewage - Municipal/Private and Commercial
Incident Dt:	27-JUL-12	Receiving Env:	
Incident Cause:	Discharge Or Bypass To A Watercourse	Environment Impact:	Confirmed
Incident Event:		Nature of Impact:	Surface Water Pollution
Incident Reason:	Spill	SAC Action Class:	Sewage Bypasses / Overflows
Incident Summary:	City of Toronto: Sewage Surcharge to Craigton Ditch		

Site: Toronto Transit Commission (TTC)
cb at Eglinton Ave E, Ebound at Kingston Rd Toronto ON

Database:
SPL

Ref No:	2076-89UMJZ	Site Address:	
Contaminant Name:	ETHYLENE GLYCOL (ANTIFREEZE)	Site Conc:	
Contaminant Code:	24	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	0 other - see incident description	Sector Type:	
MOE Reported Dt:	10/2/2010	Source Type:	
Health/Env Conseq:		Receiving Medium:	
Incident Dt:		Receiving Env:	
Incident Cause:	Pipe Or Hose Leak	Environment Impact:	Confirmed
Incident Event:		Nature of Impact:	Surface Water Pollution
Incident Reason:	Other - Reason not otherwise defined	SAC Action Class:	Watercourse Spills
Incident Summary:	TTC: coolant leak to cb, cleaned.		

Site: Toronto Hydro-Electric System Limited
North of Eglinton, on west side of Kennedy Toronto ON M1K 2C8

Database:
SPL

Ref No:	8684-6D2PPN	Site Address:	
Contaminant Name:	TRANSFORMER OIL (N.O.S.)	Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	20 L	Sector Type:	Transformer
MOE Reported Dt:	6/4/2005	Source Type:	
Health/Env Conseq:		Receiving Medium:	Land
Incident Dt:	6/4/2005	Receiving Env:	
Incident Cause:	Other Transport Accident	Environment Impact:	Not Anticipated
Incident Event:		Nature of Impact:	Soil Contamination
Incident Reason:		SAC Action Class:	Spills to Land
Incident Summary:	Toronto Hydro, 20 L non-PCB transformer oil to sewer		

Site: ELMER'S PRODUCTS CANADA
DON RIVER, EAST BRANCH, OUTFALL EAST OF BARTLEY, S. OF EGLINTON, NEAR TRACKS 27 HOBSON AVENUE TORONTO CITY ON

Database:
SPL

Ref No:	212335	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	01106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	9/25/2001	Source Type:	
Health/Env Conseq:		Receiving Medium:	Water, Land
Incident Dt:	9/25/2001	Receiving Env:	
Incident Cause:	OTHER CONTAINER LEAK	Environment Impact:	Possible
Incident Event:		Nature of Impact:	Water course or lake
Incident Reason:	UNKNOWN	SAC Action Class:	
Incident Summary:	ELMER'S CANADA -RED LATEXPAINT TO CATCH BASIN & DON RIVER, WORKS & ERP.		

Site: UNKNOWN
WILKET CREEK, WEST OUTFALL TO CREEK, 20 FT SOUTH OF EGLINTON AVE TORONTO CITY ON

Database:
SPL

Ref No:	125159	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	01106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	4/19/1996	Source Type:	
Health/Env Conseq:		Receiving Medium:	WATER
Incident Dt:	4/19/1996	Receiving Env:	
Incident Cause:	UNKNOWN	Environment Impact:	CONFIRMED
Incident Event:		Nature of Impact:	Water course or lake
Incident Reason:	UNKNOWN	SAC Action Class:	
Incident Summary:	UNK SRC-WHITE FOAM TO WILKET CRK OUTFALL.WORKS-UNTRACEABLE,UNRECOVERABLE		

Site: ONTARIO HYDRO
DON VALLEY NEAR REDLAND DRIVE HIGH VOLTAGE CABLE TORONTO CITY ON

Database:
SPL

Ref No:	78102	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	01106
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	10/29/1992	Source Type:	
Health/Env Conseq:		Receiving Medium:	LAND
Incident Dt:	//	Receiving Env:	
Incident Cause:	COOLING SYSTEM LEAK	Environment Impact:	CONFIRMED
Incident Event:		Nature of Impact:	Soil contamination
Incident Reason:	MATERIAL FAILURE	SAC Action Class:	
Incident Summary:	ONTARIO HYDRO: 300 L CABLE OIL TO GRND FROM LEAKING CABLE.		

Site: ONTARIO HYDRO
WOLNER AVE (EGLINTON/JANE) TRANSFORMER TORONTO CITY ON

Database:
SPL

Ref No:	23706	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	01106

Contaminant UN No 1:
Contaminant Qty:
MOE Reported Dt: 8/16/1989
Health/Env Conseq:
Incident Dt: 8/16/1989
Incident Cause: COOLING SYSTEM LEAK
Incident Event:
Incident Reason: OTHER
Incident Summary: ONTARIO HYDRO - CAPACITORLEAK - <1L OIL TO GROUND GREATER THAN 50PPM PCB'S

Site Postal Code:
Sector Type:
Source Type:
Receiving Medium: LAND
Receiving Env:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
SAC Action Class:

Site: **Toronto Transit Commission**
Dufferin Ave NB at N of Eglinton Toronto ON

Database:
SPL

Ref No: 4053-9GFUH8
Contaminant Name: DIESEL FUEL
Contaminant Code: 13
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 4 L
MOE Reported Dt: 2014/02/18
Health/Env Conseq:
Incident Dt: 2014/02/18
Incident Cause: Leak/Break
Incident Event:
Incident Reason: Equipment Failure
Incident Summary: TTC: 4L diesel to CB, cntnd

Site Address: Dufferin Ave NB at N of Eglinton
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Motor Vehicle
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact: Not Anticipated
Nature of Impact: Surface Water Pollution
SAC Action Class: Watercourse Spills

Site: **Metrolinx**
Intersection of Eglinton Ave West and Renforth Rd Toronto ON

Database:
SPL

Ref No: 5383-AAKN4Y
Contaminant Name: PETROLEUM OIL (N.O.S.)
Contaminant Code: 15
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 0 L
MOE Reported Dt: 2016/06/03
Health/Env Conseq:
Incident Dt: 2016/06/02
Incident Cause:
Incident Event: Unknown / N/A
Incident Reason: Unknown / N/A
Incident Summary: MetroLinx: petroleum contaminated soil on site, unknown source

Site Address: Intersection of Eglinton Ave West and Renforth Rd
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Unknown / N/A
Source Type:
Receiving Medium:
Receiving Env: Land
Environment Impact:
Nature of Impact:
SAC Action Class: Land Spills

Site: **Aggreko Inc.**
Wynford Drive, southwest side of DVP offramp Toronto ON

Database:
SPL

Ref No: 6437-85SMYN
Contaminant Name: DIESEL FUEL
Contaminant Code: 13
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 60 L
MOE Reported Dt: 5/25/2010
Health/Env Conseq:
Incident Dt:
Incident Cause:
Incident Event:

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality:
Site Postal Code:
Sector Type: Other
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact: Confirmed
Nature of Impact: Soil Contamination

Incident Reason:
Incident Summary: Aggreko: Gen-set tank overfilled and leaked diesel to ground

SAC Action Class: Land Spills

Site: **City of Toronto**
Kennedy Road (north of Eglinton Ave.) Toronto ON

Database:
SPL

Ref No: 7285-62GQZ5
Contaminant Name: HYDRAULIC OIL
Contaminant Code: 15
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 50 L
MOE Reported Dt: 7/1/2004
Health/Env Conseq:
Incident Dt: 7/1/2004
Incident Cause: Other Discharges
Incident Event:
Incident Reason:
Incident Summary: City Toronto - 50L hydraulic oil to grnd, CB

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Other
Source Type:
Receiving Medium: Land & Water
Receiving Env:
Environment Impact: Possible
Nature of Impact: Soil Contamination; Surface Water Pollution
SAC Action Class: Spill to Land

Site: **TORONTO TRANSIT COMMISSION**
EGLINTON AVENUE, BETWEEN DON MILLS AND FLEMINGTON PARK BLVD. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON

Database:
SPL

Ref No: 241464
Contaminant Name:
Contaminant Code:
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty:
MOE Reported Dt: 10/4/2002
Health/Env Conseq:
Incident Dt: 10/4/2002
Incident Cause: PIPE/HOSE LEAK
Incident Event:
Incident Reason: OTHER
Incident Summary: TTC BUS - 19 L COOLANT TO ROAD, SMALL AMOUNT TO CATCH BASIN. CLEANED.

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: 1106
Site Postal Code:
Sector Type:
Source Type:
Receiving Medium: LAND, WATER
Receiving Env:
Environment Impact: POSSIBLE
Nature of Impact: Other
SAC Action Class:

Site: **TORONTO HYDRO**
POLE #63 ON GLENAR AVE, BETWEEN SPADINA AND EGLINTON TRANSFORMER TORONTO CITY ON

Database:
SPL

Ref No: 119485
Contaminant Name:
Contaminant Code:
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty:
MOE Reported Dt: 10/10/1995
Health/Env Conseq:
Incident Dt: //
Incident Cause: COOLING SYSTEM LEAK
Incident Event:
Incident Reason: GASKET/JOINT
Incident Summary: TORONTO HYDRO:20L MINERALOIL TO GROUND FROM SLOW LEAKING TRANSFORMER.<50

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: 1106
Site Postal Code:
Sector Type:
Source Type:
Receiving Medium: LAND
Receiving Env:
Environment Impact: CONFIRMED
Nature of Impact: Soil contamination
SAC Action Class:

Site: **Toronto Transit Commission**

Database:

Ref No:	8111-5Q7GPQ	Site Address:	
Contaminant Name:		Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	Other
MOE Reported Dt:	8/7/2003	Source Type:	
Health/Env Conseq:		Receiving Medium:	Water
Incident Dt:	8/7/2003	Receiving Env:	
Incident Cause:	Other Transport Accident	Environment Impact:	Possible
Incident Event:		Nature of Impact:	Surface Water Pollution
Incident Reason:	Other - Reason not otherwise defined	SAC Action Class:	
Incident Summary:	TTC bus/TO Gbg truck: mv fluids to road & cb.		

Site: *between Eglinton and Carlingview onramp to 401 eastbound Toronto ON* **Database:** *SPL*

Ref No:	2522-A88L3Q	Site Address:	between Eglinton and Carlingview onramp to 401 eastbound
Contaminant Name:	UNKNOWN	Site Conc:	
Contaminant Code:	98	Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	0 other - see incident description	Sector Type:	Unknown / N/A
MOE Reported Dt:	2016/03/20	Source Type:	
Health/Env Conseq:		Receiving Medium:	
Incident Dt:	2016/03/20	Receiving Env:	Land
Incident Cause:		Environment Impact:	
Incident Event:	Dumping	Nature of Impact:	
Incident Reason:	Deliberate Act	SAC Action Class:	Illegal Dumping Occurrences
Incident Summary:	Lucky Strike Transport Inc. - illegal dumping, ongoing, MTO property		

Site: *GO Transit On Black Creek Drive, just north of Eglinton Toronto ON* **Database:** *SPL*

Ref No:	4378-63SPXU	Site Address:	
Contaminant Name:	COOLANT N.O.S.	Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Sector Type:	
MOE Reported Dt:	8/12/2004	Source Type:	
Health/Env Conseq:		Receiving Medium:	Land & Water
Incident Dt:	8/12/2004	Receiving Env:	
Incident Cause:		Environment Impact:	Not Anticipated
Incident Event:		Nature of Impact:	
Incident Reason:		SAC Action Class:	
Incident Summary:	Go Transit: Coolant to road, none to CB		

Site: *Hydro One Eglinton Ave Toronto ON* **Database:** *SPL*

Ref No:	2185-6AZPVM	Site Address:	
Contaminant Name:	MINERAL OIL	Site Conc:	
Contaminant Code:		Site Lot:	
Contaminant Limit 1:		Site County/District:	
Contam. Limit Freq 1:		Site Municipality:	Toronto
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:	189.25 L	Sector Type:	Transformer

MOE Reported Dt: 3/31/2005
Health/Env Conseq:
Incident Dt: 3/31/2005
Incident Cause: Pipe Or Hose Leak
Incident Event:
Incident Reason:
Incident Summary: Hydro One: 50 Gal non PCB min oil undergrnd

Source Type:
Receiving Medium: Land
Receiving Env:
Environment Impact: Confirmed
Nature of Impact: Soil Contamination
SAC Action Class: Spills

Site: **Rothsay-Maple Leaf Foods**
Westbound lanes of Eglinton Ave, between Scarlett Rd and Islington<UNOFFICIAL> Toronto ON

Database:
SPL

Ref No: 1842-6HS4G6
Contaminant Name: Animal Blood
Contaminant Code:
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty:
MOE Reported Dt: 11/2/2005
Health/Env Conseq:
Incident Dt: 11/2/2005
Incident Cause: Other Discharges
Incident Event:
Incident Reason: Equipment Failure - Malfunction of system components
Incident Summary: Rothsay: 15-17,000 kgs raw animal blood to road & storm

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Tank Truck
Source Type:
Receiving Medium: Land & Water
Receiving Env:
Environment Impact: Possible
Nature of Impact: Soil Contamination; Surface Water Pollution
SAC Action Class: Land Spills

Site: **Ren-View Construction<UNOFFICIAL>**
Eglinton Avenue at Hwy 427/401 underpass Toronto ON

Database:
SPL

Ref No: 4717-9LGMNC
Contaminant Name: DIESEL FUEL
Contaminant Code: 13
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 250 L
MOE Reported Dt: 2014/06/27
Health/Env Conseq:
Incident Dt: 2014/06/27
Incident Cause: Collision/Accident
Incident Event:
Incident Reason: Unknown / N/A
Incident Summary: MVA: 25L Diesel spill to ramp, tracked to hwy beneath

Site Address: Eglinton Avenue at Hwy 427/401 underpass
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Motor Vehicle
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact: Not Anticipated
Nature of Impact: Soil Contamination
SAC Action Class: Highway Spills (usually highway accidents)

Site: **Between Eglinton and Foxridge, Scarborough Toronto ON**

Database:
SPL

Ref No: 2206-7SFTZG
Contaminant Name:
Contaminant Code:
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty:
MOE Reported Dt: 5/27/2009
Health/Env Conseq:
Incident Dt:
Incident Cause: Unknown
Incident Event:
Incident Reason:
Incident Summary: ukn. brown substance impacting Eglinton Ravine, Scarb

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Unknown
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact: Confirmed
Nature of Impact: Surface Water Pollution
SAC Action Class: Watercourse Spills

Site: Enbridge Gas Distribution Inc.
WILLOWBANK BLVD (AVENUE RD & EGLINTON)<UNOFFICIAL> Toronto ON

Database:
SPL

Ref No: 2405-6PYSRC
Contaminant Name: NATURAL GAS (METHANE)
Contaminant Code: 35
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 105 min (duration)
MOE Reported Dt: 5/20/2006
Health/Env Conseq:
Incident Dt: 5/20/2006
Incident Cause:
Incident Event:
Incident Reason:
Incident Summary: Contractor-105 Min Release of Natural Gas, Line Strike.

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: construction site nos
Source Type:
Receiving Medium: Air
Receiving Env:
Environment Impact: Not Anticipated
Nature of Impact: Air Pollution
SAC Action Class:

Site: Crosslinx Transit Solutions Constructors., as general partner for and on behalf
of SNC-Lavalin Constructors (Pacific) Inc. Limited Partnership Bathurst just south of Eglinton Toronto ON

Database:
SPL

Ref No: 5338-AL5R6Q
Contaminant Name: SEDIMENT(SUSPENDED SOLIDS/ SAND/ SILT)
Contaminant Code: 43
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1: n/a
Contaminant Qty: 0 other - see incident description
MOE Reported Dt: 4/5/2017
Health/Env Conseq: 2 - Minor Environment
Incident Dt: 4/5/2017
Incident Cause:
Incident Event: Dumping
Incident Reason: Deliberate Act
Incident Summary: Crosslinks Transit Solutions: 10,000 L of sediment & water to road & cbs

Site Address: Bathurst just south of Eglinton
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Miscellaneous Communal
Source Type: Sewer (Private or Municipal)
Receiving Medium:
Receiving Env: Land; Surface Water
Environment Impact:
Nature of Impact:
SAC Action Class:

Site: Toronto Transit Commission
Dufferin St between Eglinton and Rowan Ave S Toronto ON

Database:
SPL

Ref No: 6352-A48R9P
Contaminant Name: COOLANT N.O.S.
Contaminant Code: 27
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 20 L
MOE Reported Dt: 11/13/2015
Health/Env Conseq:
Incident Dt: 11/13/2015
Incident Cause:
Incident Event:
Incident Reason: Equipment Failure
Incident Summary: TTC- 20L coolant leak to roadway and CB

Site Address: Dufferin St between Eglinton and Rowan Ave S
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Miscellaneous Industrial
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact:
Nature of Impact:
SAC Action Class: Land Spills

Site: Aecon Construction Group Inc.
Construction site outside 957 Eglinton Ave East Toronto ON

Database:
SPL

Ref No: 3177-A3BUCD
Contaminant Name: GLYCOL/WATER SOLUTION
Contaminant Code: 24

Site Address: Construction site outside 957 Eglinton Ave East
Site Conc:
Site Lot:

Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 90 L
MOE Reported Dt: 10/15/2015
Health/Env Conseq:
Incident Dt: 10/15/2015
Incident Cause:
Incident Event:
Incident Reason: Operator/Human Error
Incident Summary: Aecon Toronto: 90L 40% diluted antifreeze leak, cleaned up

Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Miscellaneous Industrial
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact:
Nature of Impact:
SAC Action Class: Land Spills

Site: **Toronto Transit Commission**
Eglinton Ave E, between Hoyle Ave and Bayview Ave Toronto ON

Database:
SPL

Ref No: 4230-9E9TVC
Contaminant Name: COOLANT (N.O.S.)
Contaminant Code: 27
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 45 L
MOE Reported Dt: 2013/12/10
Health/Env Conseq:
Incident Dt: 2013/12/10
Incident Cause: Leak/Break
Incident Event:
Incident Reason: Unknown / N/A
Incident Summary: TTC: 45L coolant spill to Rd

Site Address: Eglinton Ave E, between Hoyle Ave and Bayview Ave
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Motor Vehicle
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact: Not Anticipated
Nature of Impact: Other Kill
SAC Action Class: Land Spills

Site: **Eglinton east of Black Creek Toronto ON**

Database:
SPL

Ref No: 3436-7VSMF4
Contaminant Name:
Contaminant Code:
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty:
MOE Reported Dt: 9/11/2009
Health/Env Conseq:
Incident Dt:
Incident Cause:
Incident Event:
Incident Reason:
Incident Summary: Black Creek

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality:
Site Postal Code:
Sector Type:
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact: Possible
Nature of Impact: Surface Water Pollution
SAC Action Class: Watercourse Spills

Site: **Toronto Transit Commission**
Eglinton Ave. E-bound lane at Kingston Rd. Toronto ON

Database:
SPL

Ref No: 7003-86MUJP
Contaminant Name: TRANSMISSION OIL
Contaminant Code: 15
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 10 L
MOE Reported Dt: 6/21/2010
Health/Env Conseq:
Incident Dt:
Incident Cause: Container Leak (Fuel Tank Barrels)
Incident Event:

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality:
Site Postal Code:
Sector Type: Motor Vehicle
Source Type:
Receiving Medium:
Receiving Env:
Environment Impact: Not Anticipated
Nature of Impact:

Incident Reason: Equipment Failure
Incident Summary: TTC - 10 L of transmission oil to road & sewer.

SAC Action Class: Watercourse Spills

Site: **Toronto Transit Commission**
MIDLAND AVE, 1 BLOCK NORTH OF EGLINTON AVE. EAST.<UNOFFICIAL> Toronto ON

Database:
SPL

Ref No: 1638-63MV47
Contaminant Name: ETHYLENE GLYCOL (ANTIFREEZE)
Contaminant Code: 24
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: 36 L
MOE Reported Dt: 8/7/2004
Health/Env Conseq:
Incident Dt: 8/7/2004
Incident Cause: Pipe Or Hose Leak
Incident Event:
Incident Reason: Equipment Failure
Incident Summary: TTC-36 L coolant to grnd/C.B.

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Other Motor Vehicle
Source Type:
Receiving Medium: Land & Water
Receiving Env:
Environment Impact: Possible
Nature of Impact: Soil Contamination; Surface Water Pollution
SAC Action Class: Spill to Inland Watercourses; Spill to Land

Site: **City of Toronto**
Ridgevalley Crescent, near St. George's Golf Course, Islington south of Eglinton Toronto ON

Database:
SPL

Ref No: 7510-737S49
Contaminant Name: SEWAGE,RAW UNCHLORINATED
Contaminant Code: 44
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1:
Contaminant Qty: unknown unknown
MOE Reported Dt: 5/14/2007
Health/Env Conseq:
Incident Dt:
Incident Cause: Other Discharges
Incident Event:
Incident Reason: Unknown - Reason not determined
Incident Summary: Ridgevalley P/S, overflow to storm sewer

Site Address:
Site Conc:
Site Lot:
Site County/District:
Site Municipality: Toronto
Site Postal Code:
Sector Type: Sewage Municipal
Source Type:
Receiving Medium: Land & Water
Receiving Env:
Environment Impact: Possible
Nature of Impact: Other Impact(s)
SAC Action Class:

Site: **Dufferin Construction Company**
Eglinton Ave W Renfoth Dr. Commerce Blvd. Matheson Blvd. E Toronto ON M9C 5K6

Database:
SPL

Ref No: 1873-AMGPLA
Contaminant Name: HYDRAULIC OIL
Contaminant Code: 15
Contaminant Limit 1:
Contam. Limit Freq 1:
Contaminant UN No 1: n/a
Contaminant Qty: 90 L
MOE Reported Dt: 5/18/2017
Health/Env Conseq: 0 - No Impact
Incident Dt: 5/18/2017
Incident Cause:
Incident Event: Leak/Break
Incident Reason: Operator/Human Error
Incident Summary: Dufferin Construction, 50-90L hydraulic oil to soil/gravel, cntnd

Site Address: Eglinton Ave W Renfoth Dr. Commerce Blvd. Matheson Blvd. E
Site Conc: NA
Site Lot:
Site County/District: NA
Site Municipality: Toronto
Site Postal Code:
Sector Type: Unknown / N/A
Source Type: Truck - Transport/Hauling
Receiving Medium:
Receiving Env: Land
Environment Impact:
Nature of Impact:
SAC Action Class:

Site: **Garland**
2296 Eglinton AveW Toronto ON M6E 2L4

Database:
TANK

Permit Date: 9/18/1950
Permit Type:

User Type: Gasoline service station
Installation Type:
Installation Size:
Installation Config.: service station enlargement
No. Tanks Installed: 1
Units of Measure:
Value/Tank (\$): 0
Capacity(gal):
Reference: York Township General Purposes Committee 18 Sep 1950
Location Desc: NE corner Eglinton & Croham

Site: Sun Oil Co Ltd
653 Eglinton Ave W Toronto ON

Database:
TANK

Permit Date: 7/9/1940
Permit Type: FHV BP 3085
User Type: Gasoline service station
Installation Type: construct service station
Installation Size:
Installation Config.: construct service station
No. Tanks Installed:
Units of Measure:
Value/Tank (\$): 7500
Capacity(gal):
Reference: CTA FHV BP 3085
Location Desc: Eglinton & Spadina SS RP 1596 Lot 58

Site: Aecon Construction Group Inc. and Dragados Canada, Inc.
Eglinton Ave E Toronto ON M4G 4E8

Database:
WDS

Certificate No: 3888-9WVQEW	Facility Type:
Mob Unit Cert No:	Site Concession:
EBR Registry No:	Site Region/County: Toronto City
Status: Approved	Total Area (ha):
Application Status:	Landfill Cap (m³):
Issue Date: 2015-07-30	Landfill Ctrl Type:
Input Date:	Est Closure Date:
Date Received:	Transfer Area (ha):
Record Type: ECA	Transfer Cap (m³):
Project Type: Waste Disposal Sites	Transfer Cert No:
Approval Type: ECA-Waste Disposal Sites	Inciner. Area (ha):
SWP Area Name:	Inciner. Cap (t):
MOE District:	Process Area (m³):
Latitude:	Process Cap (m³/d):
Longitude:	Process Vol (m³):
Link Source: IDS	Process Feed (m³):
Proponent:	Mobile Units:
Prop Address:	Mobile Description:
Prop City:	Mobile Capacity:
Prop Postal:	Serial Link:
Prop Phone:	District Office:
Proponent County/District:	
Site Lot:	
Full Address: Eglinton Ave E	
Landfill Monitoring:	
Waste Type:	
Waste Type Other:	
Waste Class:	
Waste Class Code:	
Project Description:	
Municipalities Served:	
Site Closing Description:	
Approval Description:	
Waste Description:	
Other Approvals/Permits:	
PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/9090-9WPHWG-14.pdf	

Site:**TORONTO ON****Database:**
WWIS

Well ID: 7261361
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: Z232340
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 4/12/2016
Selected Flag: 1
Abandonment Rec: Yes
Contractor: 6946
Form Version: 7
Owner:
Street Name: 2660 EGLINTON AVE. WEST
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1005929272
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/29/2016

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1006023028
Layer: 1
Plug From: 0.00
Plug To: 14.00
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 1006023027
Method Construction Code:
Method Construction:
Other Method Construction:

Pipe Information

Pipe ID: 1006023021
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006023025
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.00
Depth To: 14.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006023026
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter:

Water Details

Water ID: 1006023024
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006023023
Diameter:
Depth From:
Depth To:
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:

TORONTO ON

Database:
[WWIS](#)

Well ID: 7216654
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z166705
Tag: A144627
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 2/21/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7440
Form Version: 7
Owner:
Street Name: EGLINTON AVE
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004713662
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/6/2014

Overburden and Bedrock**Materials Interval**

Formation ID: 1005085269
Layer: 1
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 0.00
Formation End Depth: 85.00
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 1005085276
Layer: 1
Plug From: 85.00
Plug To: 73.00
Plug Depth UOM: ft

Plug ID: 1005085277
Layer: 2
Plug From: 73.00
Plug To: 10.00
Plug Depth UOM: ft

Plug ID: 1005085278
Layer: 3
Plug From: 10.00
Plug To: 0.00
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 1005085275
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1005085268

Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005085272
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 75.00
Depth To: 0.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005085273
Layer: 1
Slot: 10
Screen Top Depth: 85.00
Screen End Depth: 75.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.50

Water Details

Water ID: 1005085271
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005085270
Diameter: 8.00
Depth From: 0.00
Depth To: 85.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:

TORONTO ON

Database:
WWIS

Well ID: 7216655
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z166704
Tag: A144628
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:

Data Entry Status:
Data Src:
Date Received: 2/21/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7440
Form Version: 7
Owner:
Street Name: EGLINTON AVE
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:

Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004713665
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/4/2014

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1005085354
Layer: 1
Plug From: 25.00
Plug To: 23.00
Plug Depth UOM: ft

Plug ID: 1005085355
Layer: 2
Plug From: 23.00
Plug To: 6.00
Plug Depth UOM: ft

Plug ID: 1005085356
Layer: 3
Plug From: 6.00
Plug To: 1.00
Plug Depth UOM: ft

Plug ID: 1005085357
Layer: 4
Plug From: 1.00
Plug To: 0.00
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 1005085353
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1005085346
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005085350

Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 8.00
Depth To: 0.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005085351
Layer: 1
Slot: 10
Screen Top Depth: 23.00
Screen End Depth: 8.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.00

Water Details

Water ID: 1005085349
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005085348
Diameter: 8.00
Depth From: 0.00
Depth To: 23.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:
TORONTO ON

Database:
[WWIS](#)

Well ID: 7216662
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z166707
Tag: A144625
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 2/21/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7440
Form Version: 7
Owner:
Street Name: EGLINTON
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004713686
Spatial Status:

DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/4/2014

Overburden and Bedrock
Materials Interval

Formation ID: 1005082372
Layer: 1
Color: 2
General Color: GREY
Mat1: 06
Most Common Material: SILT
Mat2: 28
Other Materials: SAND
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 0.00
Formation End Depth: 23.00
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 1005082379
Layer: 1
Plug From: 23.00
Plug To: 6.00
Plug Depth UOM: ft

Plug ID: 1005082380
Layer: 2
Plug From: 6.00
Plug To: 0.00
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 1005082378
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1005082371
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005082375
Layer: 1
Material: 5

Open Hole or Material: PLASTIC
Depth From: 7.00
Depth To: 0.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005082376
Layer: 1
Slot: 10
Screen Top Depth: 22.00
Screen End Depth: 7.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.50

Water Details

Water ID: 1005082374
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005082373
Diameter: 8.00
Depth From: 0.00
Depth To: 23.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:

TORONTO ON

Database:
WWIS

Well ID: 7216658
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z166709
Tag: A144620
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 2/21/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7440
Form Version: 7
Owner:
Street Name: EGLINTON AVE
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004713674
DP2BR:
Code OB:
Spatial Status:
Cluster Kind:
UTMRC: 9

Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/3/2014

Overburden and Bedrock
Materials Interval

Formation ID: 1005085789
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 0.00
Formation End Depth: 10.00
Formation End Depth UOM: ft

Formation ID: 1005085790
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Other Materials: SILT
Mat3: 66
Other Materials: DENSE
Formation Top Depth: 10.00
Formation End Depth: 25.00
Formation End Depth UOM: ft

Formation ID: 1005085791
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Other Materials: SILT
Mat3: 11
Other Materials: GRAVEL
Formation Top Depth: 25.00
Formation End Depth: 40.00
Formation End Depth UOM: ft

Formation ID: 1005085792
Layer: 4
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 11
Other Materials: GRAVEL
Mat3: 34
Other Materials: TILL
Formation Top Depth: 40.00
Formation End Depth: 60.00

Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1005085799
Layer: 1
Plug From: 60.00
Plug To: 48.00
Plug Depth UOM: ft

Plug ID: 1005085800
Layer: 2
Plug From: 48.00
Plug To: 0.00
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 1005085798
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1005085788
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005085795
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 50.00
Depth To: 0.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005085796
Layer: 1
Slot: 10
Screen Top Depth: 60.00
Screen End Depth: 50.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.50

Water Details

Water ID: 1005085794
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005085793
Diameter: 8.00
Depth From: 0.00
Depth To: 60.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:
TORONTO ON

Database:
WWIS

Well ID: 7216656
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z166706
Tag: A144626
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 2/21/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7440
Form Version: 7
Owner:
Street Name: EGLINTON
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004713668
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/4/2014

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1005085496
Layer: 1
Plug From: 78.00
Plug To: 51.00
Plug Depth UOM: ft

Plug ID: 1005085497
Layer: 2
Plug From: 51.00
Plug To: 38.00
Plug Depth UOM: ft

Plug ID: 1005085498
Layer: 3

Plug From: 38.00
Plug To: 0.00
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1005085495
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1005085488
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005085492
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 40.00
Depth To: 0.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005085493
Layer: 1
Slot: 10
Screen Top Depth: 50.00
Screen End Depth: 40.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.50

Water Details

Water ID: 1005085491
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005085490
Diameter: 8.00
Depth From: 0.00
Depth To: 78.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:
TORONTO ON

Database:
WWIS

Well ID: 7216666
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z166710
Tag: A144621
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 2/21/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7440
Form Version: 7
Owner:
Street Name: EGLINTON AVE
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004713698
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/2/2014

Overburden and Bedrock Materials Interval

Formation ID: 1005086119
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 01
Other Materials: FILL
Mat3: 77
Other Materials: LOOSE
Formation Top Depth: 0.00
Formation End Depth: 46.00
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1005086126
Layer: 1
Plug From: 46.00
Plug To: 36.00
Plug Depth UOM: ft

Plug ID: 1005086127
Layer: 2
Plug From: 36.00

Plug To: 24.00
Plug Depth UOM: ft

Plug ID: 1005086128
Layer: 3
Plug From: 24.00
Plug To: 0.00
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1005086125
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1005086118
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005086122
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 25.00
Depth To: 0.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005086123
Layer: 1
Slot: 10
Screen Top Depth: 35.00
Screen End Depth: 25.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.50

Water Details

Water ID: 1005086121
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005086120
Diameter: 8.00
Depth From: 0.00
Depth To: 46.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:**TORONTO ON****Database:****WWIS**

Well ID: 7216660
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z166713
Tag: A144624
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 2/21/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7440
Form Version: 7
Owner:
Street Name: EGLINTON AVE
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004713680
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/1/2014

Overburden and Bedrock**Materials Interval**

Formation ID: 1005085997
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 01
Other Materials: FILL
Mat3: 77
Other Materials: LOOSE
Formation Top Depth: 0.00
Formation End Depth: 45.00
Formation End Depth UOM: ft

Formation ID: 1005085998
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 34
Other Materials: TILL
Mat3: 84

Other Materials: SILTY
Formation Top Depth: 45.00
Formation End Depth: 85.00
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1005086005
Layer: 1
Plug From: 85.00
Plug To: 65.00
Plug Depth UOM: ft

Plug ID: 1005086006
Layer: 2
Plug From: 65.00
Plug To: 58.00
Plug Depth UOM: ft

Plug ID: 1005086007
Layer: 3
Plug From: 58.00
Plug To: 0.00
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 1005086004
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1005085996
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005086001
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 60.00
Depth To: 0.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005086002
Layer: 1
Slot: 10
Screen Top Depth: 65.00
Screen End Depth: 60.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.50

Water Details

Water ID: 1005086000
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005085999
Diameter: 0.00
Depth From: 0.00
Depth To: 85.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site: Toronto ON **Database:** [WWIS](#)

Well ID:	7248100	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	9/14/2015
Sec. Water Use:		Selected Flag:	1
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	6032
Casing Material:		Form Version:	7
Audit No:	Z194261	Owner:	
Tag:	A164159	Street Name:	EGLINTON AVENUE & AVENUE ROAD
Construction Method:		County:	
Elevation (m):		Municipality:	
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	1005682941	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:		UTMRC:	9
Code OB Desc:		UTMRC Desc:	unknown UTM
Open Hole:		Location Method:	wwr
Elevation:		Org CS:	UTM83
Elevrc:		Date Completed:	7/16/2015
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1005715519
Layer: 1
Plug From: 0.00
Plug To: 6.00
Plug Depth UOM: ft

Plug ID: 1005715520
Layer: 2
Plug From: 6.00
Plug To: 1.00
Plug Depth UOM: ft

Plug ID: 1005715521
Layer: 3
Plug From: 1.00
Plug To: 4.00
Plug Depth UOM: ft

Plug ID: 1005715522
Layer: 4
Plug From: 4.00
Plug To: 42.00
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1005715518
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1005715511
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005715515
Layer:
Material:
Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005715516
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter:

Water Details

Water ID: 1005715514
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005715513
Diameter: 8.00
Depth From: 0.00
Depth To: 42.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:

Toronto ON

Database:

WWIS

Well ID: 7225872
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z182018
Tag: A164173
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 8/20/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7201
Form Version: 7
Owner:
Street Name: EGLINTON AVE.
County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1005089575
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 8/7/2014

Overburden and Bedrock

Materials Interval

Formation ID: 1005298208
Layer: 1
Color: 6
General Color: BROWN
Mat1: 01
Most Common Material: FILL
Mat2: 02
Other Materials: TOPSOIL
Mat3: 01
Other Materials: FILL
Formation Top Depth: 0.00
Formation End Depth: 5.00
Formation End Depth UOM: ft

Formation ID: 1005298207
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Other Materials: SILT
Mat3:
Other Materials:
Formation Top Depth: 5.00
Formation End Depth: 20.00
Formation End Depth UOM: ft

Formation ID: 1005298206
Layer: 3
Color:
General Color:
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3: 68
Other Materials: DRY
Formation Top Depth: 20.00
Formation End Depth: 40.00
Formation End Depth UOM: ft

Formation ID: 1005298205
Layer: 4
Color:
General Color:
Mat1: 28
Most Common Material: SAND
Mat2: 06
Other Materials: SILT
Mat3:
Other Materials:
Formation Top Depth: 40.00
Formation End Depth: 45.00
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 1005298215
Layer: 1
Plug From: 45.00
Plug To: 33.00
Plug Depth UOM: ft

Plug ID: 1005298216
Layer: 2
Plug From: 33.00
Plug To: 2.00
Plug Depth UOM: ft

Plug ID: 1005298217
Layer: 3
Plug From: 2.00
Plug To: 0.00
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 1005298214

Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1005298204
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005298211
Layer:
Material:
Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005298212
Layer: 1
Slot: .01
Screen Top Depth: 45.00
Screen End Depth: 35.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.50

Water Details

Water ID: 1005298210
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005298209
Diameter: 8.25
Depth From: 45.00
Depth To: 0.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:
TORONTO ON

Database:
WWIS

Well ID: 7216659
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z166711
Tag: A144622

Data Entry Status:
Data Src:
Date Received: 2/21/2014
Selected Flag: 1
Abandonment Rec:
Contractor: 7440
Form Version: 7
Owner:
Street Name: EGLINTON AVE

Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

County:
Municipality:
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004713677
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr
Org CS: UTM83
Date Completed: 2/3/2014

Overburden and Bedrock

Materials Interval

Formation ID: 1005085977
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 01
Other Materials: FILL
Mat3: 77
Other Materials: LOOSE
Formation Top Depth: 0.00
Formation End Depth: 40.00
Formation End Depth UOM: ft

Formation ID: 1005085978
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 11
Other Materials: GRAVEL
Mat3: 34
Other Materials: TILL
Formation Top Depth: 40.00
Formation End Depth: 80.00
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1005085985
Layer: 1
Plug From: 80.00
Plug To: 62.00

Plug Depth UOM: ft
Plug ID: 1005085986
Layer: 2
Plug From: 62.00
Plug To: 51.00
Plug Depth UOM: ft

Plug ID: 1005085987
Layer: 3
Plug From: 51.00
Plug To: 0.00
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1005085984
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 1005085976
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005085981
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 52.00
Depth To: 0.00
Casing Diameter: 2.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1005085982
Layer: 1
Slot: 10
Screen Top Depth: 62.00
Screen End Depth: 52.00
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.50

Water Details

Water ID: 1005085980
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1005085979

Diameter: 8.00
Depth From: 0.00
Depth To: 80.00
Hole Depth UOM: ft
Hole Diameter UOM: inch

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

AGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2017

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Nov 2016

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Automobile Wrecking & Supplies:

Private

AUWR

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-May 2017

Borehole:

Provincial

BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2014

Certificates of Approval:

Provincial

CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Commercial Fuel Oil Tanks:

Provincial

CFOT

Since May 2002, Ontario developed a new act where it became mandatory for fuel oil tanks to be registered with Technical Standards & Safety Authority (TSSA). This data would include all commercial underground fuel oil tanks in Ontario with fields such as location, registration number, tank material, age of tank and tank size.

Government Publication Date: Feb 28, 2017

Chemical Register:

Private

CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-May 2017

Compressed Natural Gas Stations:

Private

CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 31, 2012

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial

CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2017

Certificates of Property Use:

Provincial

CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Oct 2017

Drill Hole Database:

Provincial

DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886-Aug 2015

Environmental Activity and Sector Registry:

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Oct 2017

Environmental Registry:

Provincial

EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Oct 2017

Environmental Compliance Approval:

Provincial

ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Oct 2017

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 2016

Environmental Issues Inventory System:

Federal

EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

List of TSSA Expired Facilities:

Provincial

EXP

List of facilities with removed tanks which were once registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed automatically fall under the expired facilities inventory held by TSSA.

Government Publication Date: Feb 28, 2017

Federal Convictions:

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-Dec 2017

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2017

Fuel Storage Tank:

Provincial

FST

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jun 2017

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2015

TSSA Historic Incidents:

Provincial

HINC

This database will cover all incidences recorded by TSSA with their older system, before they moved to their new management system. TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. The TSSA works to protect the public, the environment and property from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from pipelines, diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

TSSA Incidents:

Provincial

INC

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Dec 31, 2013

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2017

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2014

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Aug 2010

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2017

National Energy Board Wells:

Federal

NEBW

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003***National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008***National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017**Oil and Gas Wells:**

Private

OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Sep 2017**Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Oct 2017**Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Oct 2017**Canadian Pulp and Paper:**

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009**Parks Canada Fuel Storage Tanks:**

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988-Aug 2017

TSSA Pipeline Incidents:

Provincial PINC

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. This database will include spills, strike and leaks from recorded by the TSSA.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Oct 2017

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Nov 2017

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-May 2017

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Sep 2017

Wastewater Discharger Registration Database:

Provincial

SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2016

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2017

TSSA Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 31, 2017

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Mar 31, 2017

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX B



Hotel and parking lot, facing north.



Driveway and overhang at hotel entrance, facing east.



AST in southern boiler room, facing south.



Indoor pool, facing north.



Steep ramp at eastern portion of Site, facing north.